

# PUBLICATION LIST

## **PUBLICATION LIST; 2003**

### **Breast Surgery Division**

1. Hasebe T, Sasaki S, Imoto S, Ochiai A. Significance of nodal metastatic tumor characteristics in nodal metastasis and prognosis of patients with invasive ductal carcinoma of the breast. *Cancer Sci* 2003; 94: 181-7.
2. Hasebe T, Sasaki S, Imoto S, Ochiai A. Tumor cells in lymph vessels and lymph nodes closely associated with nodal metastasis by invasive ductal carcinoma of the breast. *Cancer Sci* 2003; 94:508-14.
3. Hasebe T, Sasaki S, Imoto S, Ochiai A. Prognostic significance of the intra-vessel tumor characteristics of invasive ductal carcinoma of the breast: a prospective study. *Virchows Arch* 2003; 18 [in press]
4. Wada N, Imoto S, Hasebe T, Ochiai A, Ebihara S, Moriyama N. Evaluation of intraoperative frozen section diagnosis of sentinel lymph nodes in breast cancer. *Jpn J Clin Oncol* [in press]

### **Colorectal (pelvic) Surgery Division**

1. Koda K., Mitasaki M., Sarashina H., Suwa T., Saito N., Suzuki M., Ogawa K., Watanabe S., Kodaira S., Nakazato H. A randomized controlled trial of postoperative adjuvant immunochemotherapy for colorectal cancer with oral medicines. *International Journal of Oncology* 2003; 23:165-172.
2. Koda K., Saito N., Oda K., Seike K., Kondo E., Ishizuka I., Takiguchi N., Miyazaki M., Natural killer cell activity and distant metastasis in rectal cancers treated surgically with and without neoadjuvant chemoradiotherapy. *J Am Coll Surg* vol.197 No.2:254-260(2003)
3. Watanabe I., Arai T., Ono M., Sugito M., Kawashima K., Ito M., Nagai K. Saito N. Prognostic factors in resection of pulmonary metastasis from colorectal cancer. *British Journal of Surgery* 2003; 90:1436-1440.
4. Saito N., Ono M., Sugito M., Ito M., Morihiro M., Kosugi C., Sato K., Kotaka M., Nomura S., Arai M., Kobatake T., Early results of intersphincteric resection for patients with very low rectal cancer an active approach to avoid a permanent colostomy. *Dis Colon Rectum* 2003 (in press)

### **Diagnostic Radiology Division**

1. Watanabe S., Hasegawa J., Mekada Y., Mori K., Nawano S. New display mode for emphasizing concentration of fold patterns in virtual gastroscopy. *Computer Assisted Radiology and Surgery*. 2003; 47-52

### **Digestive Endoscopy and Gastrointestinal Oncology Division**

1. Ohtsu A, Shimada Y, Shirao K, Boku N, Hyodo I, Saito H, Yamamichi N, Miyata Y, Ikeda N, Yamamoto S, Fukuda H, Yoshida S. Randomized phase ‡V trial fluorouracil alone versus fluorouracil plus cisplatin versus uracil and tegafur plus mitomycin in patients with unresectable, advanced gastric cancer: The Japan Clinical Oncology Group Study (JCOG9205). *J Clin Oncol*. 2003; 21: 54-9
2. Ohtsu A, Boku N, Yoshioka T, Hyodo I, Shirao K, Shimada Y, Saitoh S, Nakamura A, Yamamichi N, Yamamoto S, Yoshida S. A phase ‡U study of irinotecan in combination with 120-h infusion of 5-Fluorouracil in patients with metastatic colorectal carcinoma: Japan Clinical Oncology Group Study (JCOG9703). *Jpn J Clin Oncol*, 2003;33: 28-32.

3. Ohtsu A, The latest advances in chemotherapy for gastrointestinal cancers. *Int J Clin Oncol*, 2003; 8: 234-8
4. Sano Y, Kuga R, Kuang-I Fu, Yoshino T, Yoshida S, Ochiai A, Fujii T. Superficially elevated colonic adenoma changed to undetectable configuration on ordinary endoscopy during treatment with preferential cyclooxygenase-2 inhibitor. *J Gastroenterol*, 2003;38: 909-10.
5. Gono K, Yamazaki K, Doguchi N, Nonami T, Obi T, Yamaguchi M, Nagaaki Ohyama N, Machida H, Sano Y, Yoshida S, Hamamoto Y, Endo T. Endoscopic observation of tissue by narrowband illumination. *OPTICAL REVIEW*, 2003;10:211-5.
6. Hosokawa A, Yamada Y, Shimada Y, Muro K, Matsumura Y, Fujita S, Akasu T, Moriya Y, Shirao K. Weekly hepatic arterial infusion of 5-fluorouracil and subsequent systemic chemotherapy for liver metastases from colorectal cancer. *Jpn J Clin Oncol*, 2003; 33: 132-5.
7. Hosokawa A, Doi T, Follicular Lymphoma of the Duodenum *Jpn J Clin Oncol* 2003;33;pp 1-2
8. Kawai H, Ohtsu A, Boku N, Hamamoto Y, Nagashima F, Muto M, Sano Y, Mera K, Yano T, Doi T, Yoshida S. Efficacy and safety profile of S-,P in patients with metastatic gastric cancer in clinical practice: results from a post-marketing survey. *Gastric Cancer*. 2003;6: 19-23.
9. Hironaka H, Ohtsu A, Boku N, Muto M, Nagashima F, Saito H, Yoshida S, Nishimura M, Haruno M, Ishikura S, Ogino T, Nonrandomized comparison between definitive chemoradiotherapy and radical surgery in patients with T2-3 Nany M0 squamous cell carcinoma of the esophagus. *Int J Radiation Oncology Biol.Phys*, 2003;57:425-33.
10. Katada C, Muto M, Manabe T, Boku N, Ohtsu A, Yoshida S. Esophageal stenosis after endoscopic mucosal resection of superficial esophageal lesions. *Gastrointest Endosc*. 2003;57:165-9.
11. Hattori S, Muto M, Ohtsu A, Boku N, Manabe T, Doi T, Ishikura S, Yoshida S. EMR as salvage treatment for patients with locoregional failure of definitive chemoradiotherapy for esophageal cancer. *Gastrointest Endosc*. 2003;58: 65-70.
12. Ishikura S, Nihei K, Ohtsu A, Boku N, Hironaka S, Mera K, Muto M, Ogino T, Yoshida S. Long-term toxicity after definitive chemoradiotherapy for squamous cell carcinoma of the thoracic esophagus. *J Clin Oncol*. 2003;15:2697-702.
13. Kinoshita T, Konishi M, Nakagohri T, Inoue K, Oda T, Takahashi S, Boku N, Ohtsu A, Yoshida S. Neoadjuvant chemotherapy with S-1 for scirrhou gastric cancer --- A pilot study. *Gastric Cancer*, 2003;6: 40-4.
14. Okuno T, Fu KI, Sano Y, Yoshino T, Murakami K, Ochiai A, Yoshida S. Early colon cancers detected by 18FDG-PET: a report of two cases with immunohistochemical investigation. *Hepato-gastroenterolgy* (in press)

## **Gastric Surgery Division**

1. Kinoshita T, Konishi M, Nakagohri T, Inoue K, Oda T, Takahashi S, Boku N, Ohtsu A, Yoshida S. Neoadjuvant chemotherapy with S-1 for scirrhou gastric cancer --- A pilot study. *Gastric Cancer*, 2003;6: 40-4.
2. Nashimoto A, Nakajima T, Furukawa H, Kitamura M, Kinoshita T, Yamamura Y, Sasako M, Kunii Y, Motohashi H, Yamamoto S, and the Gastric Cancer Surgical Study Group in the Japan Clinical Oncology Group. Randomized trial of adjuvant chemotherapy with mitomycin, fluorouracil, and cytosine arabinoside

followed by oral fluorouracil in serosa-negative gastric cancer:Japan Clinical Oncology Group 9206-1. *J Clin Oncol.* 2003;21:2282-7.

## **Head & Neck Surgery Division**

1. Sakuraba M, Kimata Y, Ota Y, Uchiyama K, Kishimoto S, Harii K and Ebihara S. Simple maxillary reconstruction using free tissue transfer and prostheses. *Plast Reconstr Surg* 2003;111:594-598.
2. Kimata Y, Sakuraba M, Hishinuma S, Ebihara S, Hayashi R, Asakage T, Nakatsuka T, Harii K. Analysis of the Relations Between the Shape of the Reconstructed Tongue and Postoperative Functions After Subtotal or Total Glossectomy. *Laryngoscope* 2003;113:905-909.
3. Nakatsuka T, Harii K, Asato H, Takushima A, Ebihara S, Kimata Y, Yamada A, Ueda K and Ichioka S. Analytic review of 2372 free flap transfers for head and neck reconstruction following cancer resection. *J Reconstr Microsurg* 2003;19:363-368.
4. Kimata Y. The deep circumflex iliac perforator flap with iliac crest for mandibular reconstruction. *Clinics in Plastic Surgery* 2003;30:433-438.
5. Sakuraba M, Kimata Y, Hishinuma S, Nishimura M, Gotohda N, Ebihara S. Importance of additional microvascular anastomosis in esophageal reconstruction after salvage esophagectomy. *Plast Reconstr Surg* (in press)
6. Kimata Y. Deep circumflex iliac artery perforator flap. In: Blondeel PN Editor. *Perforator flaps•FAnatomy, Technique •• Clinical Applications*. St. Louis: Quality Medical Publishing, Inc. (in press)

## **Hepatobiliary & Pancreatic Oncology and Surgery Division**

1. Furuse J, Ishii H, Onaya H, Satake M, Nose H, Mikami S, Sakai H, Kiyomi M, Maru Y, Yoshino M. Pilot study of transcatheter arterial chemoembolization with degradable starch microspheres in patients with hepatocellular carcinoma. *Am J Clin Oncol, Am J Clin Oncol.* 26:159-64, 2003.
2. Furuse J, Kinoshita T, Kawashima M, Ishii H, Nagase M, Konishi M, Nakagohri T, Inoue K, Ogino T, Ikeda H, Maru Y, Yoshino M. Intraoperative and conformal external beam radiation therapy with protracted 5-fluorouracil infusion in patients with locally advanced pancreatic carcinoma. *Cancer* 97:1346-52, 2003.
3. Izuishi K, Furuse J, Kinoshita T, Konishi M, Tajiri H. Autofluorescence endoscopy images of pancreas cancer: report of a case. *Hepatogastroenterology* 50:366-7, 2003.
4. Furuse J, Nagase M, Ishii H, Yoshino M. Contrast enhancement patterns of hepatic tumours during the vascular phase using coded harmonic imaging and SH U 508A to differentiate hepatocellular carcinoma. *Br J Radiol.* 76:385-392, 2003.
5. Nagase M, Furuse J, Ishii H, Yoshino M. Evaluation of contrast enhancement patterns in pancreatic tumors by coded harmonic sonographic imaging with a microbubble contrast agent. *J Ultrasound Med.* 22:789-795, 2003.
6. Ishii H, Furuse J, Nagase M, Maru Y, Yoshino M, Hayashi T. A phase I study of hepatic arterial infusion chemotherapy with zinstatins alone for hepatocellular carcinoma. *Jpn J Clin Oncol.* 33:570-573, 2003.
7. Nakahashi C, Oda T, Kinoshita T, Ueda T, Konishi M, Nakagohri T, Inoue K, Furuse J, Ochiai A, Ohkohchi N. The impact of liver metastasis on mortality in patients initially diagnosed with locally advanced or resectable pancreatic cancer. *Int J Gastrointest Cancer.* 33: 155-164, 2003.

8. Kosugi C, Furuse J, Ishii H, Maru Y, Yoshino M, Kinoshita T, Konishi M, Nakagohri T, Inoue K, Oda T. Needle tract implantation of hepatocellular carcinoma and pancreatic carcinoma after ultrasound-guided percutaneous puncture: clinical and pathologic characteristics and the treatment of needle tract implantation. *World J Surg.* 28:29-32, 2004.
9. Ishii H, Furuse J, Nagase M, Yoshino M, Kawashima M, Satake M, Ogino T, Ikeda H. Hepatic arterial infusion of 5-fluorouracil and extra-beam radiotherapy for liver metastases from pancreatic carcinoma. *Hepato-Gastroenterology* in press.
10. Ishii H, Furuse J, Yonemoto N, Nagase M, Yoshino M, Sato T. The role of chemotherapy in the treatment of advanced gallbladder cancer. *Oncology* in press.
11. Ishii H, Furuse J, Nagase M, Kawashima M, Ikeda H, Yoshino M. Relief of jaundice in patients with extrahepatic cholangiocarcinoma by external and internal radiotherapy: results without indwelling stents. *Hepato-Gastroenterology*, in press.
12. Ishii H, Furuse J, Nagase M, Yoshino M. Impact of gemcitabine on the treatment of metastatic pancreatic cancer. *J Gastroenterol Hepatol* in press.
13. Tanizawa Y, Nakagohri T, Konishi M., Inoue K., Oda T., Takahashi S., Kawahira H., Nakamura T., Nishimori T., Nagase M., Ueda T., Kinoshita T. Virtual Pancreatoscopy of Pancreatic Cancer. *Hepato-Gastroenterol* 2003;50:559-562.
14. Watanabe I., Hasebe T., Sasaki S., Konishi M., Inoue K., Nakagohri T., Oda T., Mukai K., Kinoshita T. Advanced pancreatic ductal cancer; Fibrotic focus and  $\beta$ -catenin expression correlate with outcome. *Pancreas* 2003;26(4): 326-333.
15. Nakagohri T., Konishi M., Inoue K., Nakamura T., Kinoshita T. Partial pancreatic head resection for pancreatic metastasis from renal cell carcinoma. *Hepatogastroenterol* 2003; 50:2236-8.
16. Nakagohri T., Asano T., Kinoshita H., Kenmochi T., Urashima T., Miura F., Ochiai T. Aggressive surgical resection for hilar-invasive and peripheral intrahepatic cholangiocarcinoma. *World J Surg* 2003; 27(3): 289-293.
17. Nakagohri T., Kinoshita T., Konishi M., Inoue K., Asano T. Inferior head resection of the pancreas. *Chinese J General Surg* 2003;18(3):186-7.
18. Nakagohri T., Kinoshita T., Konishi M., Inoue K., Takahashi S. Survival benefits of portal vein resection for pancreatic cancer. *Amer J Surg* 2003;186:149-153.
19. Nakagohri T., Kinoshita T., Konishi M., Inoue K., Takahashi S., Tanizawa Y., Kobayashi A. Mucin-producing intrahepatic cholangiocarcinoma with portal vein thrombosis. *Hepato-Gastroenterology* 2003;50: 2194-2195.
20. Takahashi S., Inoue K., Konishi M., Nakagohri T., Kinoshita T. Prognostic factors for poor survival after repeat hepatectomy in patients with colorectal liver metastases. *Surgery* 2003; 133 (6):627-34.

## **Oncology/Hematology Division**

1. Aihara T, Takatsuka Y, Itoh K, Sasaki Y, Katsumata N, Watanabe T, Noguchi S, Horikoshi N, Tabei T, Sonoo H, Hiraki S, Inaji H: Phase II Study of concurrent administration of doxorubicin and docetaxel as first-line chemotherapy for metastatic breast cancer. *Oncology* 64: 124-130, 2003
2. Ebi H, Nakata M, Tahara M, Igarashi T, Kawada K, Itoh K, Ueda R, Minami H: Extragonadal germ cell tumors in Japan. *Cancer Sci* 94: 1107-1111, 2003

## **Palliative Care and Psychiatric Service**

1. Kohara H, Ueoka H, Aoe K, Maeda T, Takeyama H, Saito R, Shima Y, Uchitomi Y: Effect of nebulized Furosemide in terminally ill cancer patients with dyspnea. *J Pain Symptom Manage*. 2003; 26:962-967
2. Akechi T, Okuyama T, Sugawara Y, Nakano T, Shima Y, Uchitomi Y :Suicidality in terminally ill Japanese patients with cancer. *Cancer* 2003; 100: 1:183-191
3. Morita T, Sakaguchi Y, Hirai K, Tsuneto S, Shima Y :Desire for death and requests to hasten death of Japanese terminally ill cancer patients receiving specialized inpatient Palliative care. *J Pain Symptom Manage* 2004; 27:44-52
4. Akechi T, Nakano T, Akizuki N, Nakanishi T, Yoshikawa E, Okamura H, Uchitomi Y. Psychiatric evaluation of competency in cancer patients. *Int J Psychiatry Clin Pract* 2003; 7:101-6.
5. Akechi T, Nakano T, Akizuki N, Okamura M, Sakuma K, Nakanishi T, Yoshikawa E, Uchitomi Y. Somatic symptoms for diagnosing major depression in cancer patients. *Psychosomatics* 2003;44:244-8.
6. Akechi T, Okamura H, Nishiwaki Y, Uchitomi Y. Psychiatric disorders and associated and predictive factors in patients with unresectable non-small cell lung carcinoma; authors' reply. *Cancer* 2003;97:3129.
7. Akechi T, Sakuma K, Okamura M, Akizuki N, Oba A, Nakano T, Uchitomi Y. Trauma in a nurse after patient suicide. *Psychosomatics* 2003;44:522-3.
8. Akizuki N, Akechi T, Nakanishi T, Yoshikawa E, Okamura M, Nakano T, Murakami Y, Uchitomi Y. Development of a brief screening interview for adjustment disorders and major depression in patients with cancer. *Cancer* 2003;97:2605-13, 2003.
9. Fujimori M, Oba A, Koike M, Okamura M, Akizuki N, Kamiya M, Akechi T, Sakano Y, Uchitomi Y. Communication skills training for Japanese oncologists on how to break bad news. *J Cancer Educ* 2003;18:194-201.
10. Matsuoka Y, Yamawaki S, Inagaki M, Akechi T, Uchitomi Y. A volumetric study of amygdala in cancer survivors with intrusive recollections. *Biol Psychiatry* 2003;54:736-43.
11. Okamura H, Fukui S, Nagasaka Y, Koike M, Uchitomi Y. Psychoeducational intervention and patient satisfaction with information. *Breast Cancer Res Treat* 2003;80:331-8.
12. Okuyama T, Wang XS, Akechi T, Mendoza TR, Hosaka T, Cleeland CS, Uchitomi Y. Japanese version of the M.D. Anderson Symptom Inventory; a validation study. *J Pain Symptom Manage* 2003;26:1093-104.
13. Okuyama T, Wang XS, Akechi T, Mendoza TR, Hosaka T, Cleeland CS, Uchitomi Y. Validation study of the Japanese version of the Brief Fatigue Inventory. *J Pain Symptom Manage* 2003;25:106-17.
14. Taniguchi K, Akechi T, Suzuki S, Mihara M, Uchitomi Y. Lack of marital support and poor psychological responses in male cancer patients. *Support Care Cancer* 2003;11:604-10.
15. Taniguchi K, Akechi T, Suzuki S, Mihara M, Uchitomi Y. Performance status 1 predicts psychological response in female, but not male, ambulatory cancer patients. *Support Care Cancer* 2003;11:465-71.
16. Uchitomi Y, Akechi T, Fujimori M, Okamura M, Ooba A. Mental adjustment after surgery for non-small cell lung cancer. *Palliat Support Care* 2003;1:61-70.
17. Uchitomi Y, Mikami I, Nagai K, Nishiwaki Y, Akechi T, Okamura H. Depression and psychological distress in patients during the year after curative resection of non-small-cell lung cancer. *J Clin Oncol* 2003;21:69-77.
18. Okuyama T, Wang X S, Akechi T, Mendoza T R, Hosaka T, Cleeland C S, Uchitomi Y. Adequacy of

cancer pain Management in a Japanese cancer hospital. *Jpn J Clin Oncol* (in press).

## **Plastic & Reconstructive Surgery Division**

1. Sakuraba M, Kimata Y, Ota Y, Uchiyama K, Kishimoto S, Harii K and Ebihara S. Simple maxillary reconstruction using free tissue transfer and prostheses. *Plastic and Reconstructive Surgery* 2003;111:594-598.
2. Kimata Y, Sakuraba M, Hishinuma S, Ebihara S, Hayashi R, Asakage T, Nakatsuka T, Harii K. Analysis of the Relations Between the Shape of the Reconstructed Tongue and Postoperative Functions After Subtotal or Total Glossectomy. *Laryngoscope* 2003;113:905-909.
3. Nakatsuka T, Harii K, Asato H, Takushima A, Ebihara S, Kimata Y, Yamada A, Ueda K and Ichioka S. Analytic review of 2372 free flap transfers for head and neck reconstruction following cancer resection. *J Reconstructive Microsurgery* 2003;19:363-368.
4. Kimata Y. The deep circumflex iliac perforator flap with iliac crest for mandibular reconstruction. *Clinics in Plastic Surgery* 2003;30:433-438.
5. Sakuraba M, Kimata Y, Hishinuma S, Nishimura M, Gotohda N, Ebihara S. Importance of additional microvascular anastomosis in esophageal reconstruction after salvage esophagectomy. *Plastic and Reconstructive Surgery* .in press, 2004.
6. Kimata Y. Deep circumflex iliac artery perforator flap. In: Phillip N.Blondeel Editor. *Perforator flaps: Anatomy, Technique & Clinical Applications*. Quality Medical Publishing, INC. St. Louis. in press 2004.

## **Radiation Oncology Division**

1. Ogino T, Kawashima M, Nihei K, Ishikura S, Shimbo M, Nishio T, Katsuta S, Ikeda T. Targeting accuracy of respiration-gated proton beam irradiation for hepatocellular carcinoma. *Int J Radiat Oncol Biol Phys* 2003;55:474-475.
2. Furuse J, Kinoshita T, Kawashima M, Ishii H, Nagase M, Nakagohri T, Inoue K, Ogino T, Ikeda H, Maru Y, Yoshino M. Intraoperative and conformal external-beam radiation therapy with protracted 5-fluorouracil infusion in patients with locally advanced pancreatic carcinoma. *Cancer* 2003;97:1346-1352.
3. Ito Y, Ohtsu A, Ishikura S, Boku N, Nihei K, Ogino T, Ikeda H. Efficacy of chemoradiotherapy on pain relief in patients with intrapelvic recurrence of rectal cancer. *Jpn J Clin Oncol* 2003;33:180-185.
4. Ishikura S, Nihei K, Ohtsu A, Boku N, Hironaka S, Mera K, Muto M, Ogino T, Yoshida S. Long-term toxicity after definitive chemoradiotherapy for squamous cell carcinoma of the thoracic esophagus. *J Clin Oncol* 2003;21:2697-2702.
5. Hironaka S, Ohtsu A, Boku N, Muto M, Nagashima F, Saito H, Yoshida S, Nishimura M, Haruno M, Ishikura S, Ogino T, Yamamoto S, Ochiai A. Nonrandomized comparison between definitive chemoradiotherapy and radical surgery in patients with T2-3NanyM0 squamous cell carcinoma of the esophagus. *Int J Radiat Oncol Biol Phys* 2003;57:425-433.
6. Uno T, Sumi M, Sawa Y, Teshima T, Hara R, Ikeda H, Inoue T. Japanese PCS Working Subgroup of Lung Cancer: Process of care and preliminary outcome in limited-stage small-cell lung cancer: results of the 1995-1997 Patterns of Care Study in Japan. *Int J Radiat Oncol Biol Phys* 2003;55:626-632.
7. Sugiyama H, Teshima T, Ohno Y, Inoue T, Takahashi Y, Oshima A, Sumi M, Uno T, Ikeda H and the Japanese PCS Working Subgroup for Lung Cancer. The Patterns of Care Study and regional cancer

registry for non-small-cell lung cancer in Japan. *Int J Radiat Oncol Biol Phys* 2003;56:1005-1012.

8. Ikeda, H: Special report: Non-invasive management of invasive bladder cancer: Lectures by Professor William U. Shipley. *Jpn J Clin Oncol* 2003;33:592-594.
9. Hattori S, Muto M, Ohtsu A, Boku N, Manabe T, Doi T, Ishikura S, Yoshida S. EMR as salvage treatment for patients with locoregional failure of definitive chemoradiotherapy for esophageal cancer. *Gastrointest Endosc* 2003;58:65-7

## **Thoracic Oncology and Surgery Division**

1. Uchitomi Y, Mikami I, Nagai K, Nishiwaki Y, Akechi T, and Okamura H: Depression and psychological distress in patients during the year after curative resection of non-small-cell lung cancer. *J Clin Oncol* 2003; 21: 69-77.
2. Takamochi K, Yokose T, Yoshida J, Nishimura M, Ohmatsu H, Nagai K, Nishiwaki Y and Ochiai A.: Calcification in large cell neuroendocrine carcinoma of the lung. *Jpn J Clin Oncol* 2003; 33:10-13.
3. Sekine I, Nishiwaki Y, Kakinuma R, Kubota K, Hojo F, Matsumoto T, Ohmatsu H, Goto K, Kodama T, Eguchi K, Shinkai T, Tamura T, Ohe Y, Kunitoh H, Yoshimura K and Saijo N: Phase I/II trial of weekly cisplatin, etoposide, and irinotecan chemotherapy for metastatic lung cancer: JCOG 9507. *Br J Cancer* 2003; 88: 808-13.
4. Niho S, Kubota K, Goto K, Ohmatsu H, Matsumoto T, Kakinuma R, Nishiwaki Y: Combination second-line chemotherapy with gemcitabine and docetaxel for recurrent non-small-cell lung cancer after platinum-containing chemotherapy: a phase I/II trial. *Cancer Chemother Pharmacol* 2003; 52: 1-24.
5. Fukuoka M, Yano S, Giaccone G, Tamura T, Nakagawa K, Douillard J, Nishiwaki Y, Vansteenkiste J, Kudoh S, Rischin D, Eek R, Horai T, Noda K, Tanaka I, Smit E, Averbuch S, Macleod A, Feyereislova A, Dong R, and Baselga J: Multi-institutional randomized phase II trial of Gefitinib for previously treated patients with advanced non-small-cell lung cancer. *J Clin Oncol* 2003; 21: 2237-2246.
6. Funai K, Yokose T, Ishii G, Araki K, Yoshida J, Nishimura M, Nagai K, Nishiwaki Y, Ochiai A.: Clinicopathologic characteristics of peripheral squamous cell carcinoma of the lung. *Am J Surg Pathol* 2003; 27: 978-984.
7. Ohe Y, Ishizuka N, Tamura T, Sekine I, Nishiwaki Y, Saijo N.: Long-term follow-up of patients with unresectable locally advanced non-small cell lung cancer treated with chemoradiotherapy: A retrospective analysis of the data from the Japan Clinical Oncology Group trials (JCOG0003A). *Cancer Sci* 2003; 94: 729-734.
8. Yoh K, Goto K, Ishii G, Niho S, Ohmatsu H, Kubota K, Kakinuma R, Nagai K, Suga M, Nishiwaki Y: Weekly chemotherapy with cisplatin, vincristine, doxorubicin, and etoposide is an effective treatment for advanced thymic carcinoma. *Cancer* 2003; 98: 926-931.
9. Yoh K, Kubota K, Nomura M, Niho S, Goto K, Ohmatsu H, Kakinuma R, Nishiwaki Y: Cushing's syndrome associated with adenocarcinoma of the lung. *Internal Medicine* 2003 ; 42, 831-833.
10. Ohde Y, Nagai K, Yoshida J, Nishimura M, Takahashi K, Suzuki K, Takamochi K, Yokose T, Nishiwaki Y: The proportion of consolidation to ground-glass opacity on high resolution CT is a good predictor for distinguishing the population of non-invasive peripheral adenocarcinoma. *Lung Cancer* 2003;42:303-310.
11. Ohe Y, Niho S, Kakinuma R, Kubota K, Ohmatsu H, Goto K, Nokihara H, Kunitoh H, Saijo N, Aono H, Watanabe K, Tango M, Yokoyama A and Nishiwaki Y : A phase II study of cisplatin and docetaxel

administered as three consecutive weekly infusions for advanced non-small-cell lung cancer in elderly patients : *Ann Oncol* 2004; 15 : 45-50.

12. Kubota K, Watanabe K, Kunitoh H, Noda K, Ichinose Y, Katakami N, Sugiura T, Kawahara M, Yokoyama A, Yokota S, Yoneda S, Matsui K, Kudo S, Shibuya M, Isobe T, Segawa Y, Nishiwaki Y, Ohashi Y, and Niitani H : Phase III randomized trial of docetaxel plus cisplatin versus vindesine plus cisplatin in patients with stage IV non-small-cell lung cancer : The Japanese taxotere lung cancer study group : *J Clin Oncol* 2004;22:254-261.
13. Kakinuma R, Ohmatsu H, Kaneko M, Kusumoto M, Yoshida J, Nagai K, Nishiwaki Y, Kobayashi T, Tsuchiya R, Nishiyama H, Matsui E, Eguchi K and Moriyama N : Progression of focal pure ground-glass opacity detected by low-dose helical computed tomography screening for lung cancer : *J Comput Assist Tomogr* 2004;28:17-23.
14. Takamochi K, Yokose T, Yoshida J, Ohmatsu H, Nagai K, Nishiwaki Y, Ochiai A. Calcification in Large Cell Neuroendocrine Carcinoma of the Lung. *J J Clin Oncol.* 2003;33 :10-3.
15. Nagai K, Tsuchiya R, Mori T, Tada H, Ichinose Y, Koike T. A Randomized Trial Comparing Induction Chemotherapy Followed by Surgery with Surgery Alone in Stage  $\geq$  IVa N2 Non-Small Cell Lung Cancer Patients(JCOG9209). *J Thorac Cardiovasc Surg.* 2003;125: 254-60.
16. Funai K, Yokose T, Ishii G, Nishimura M, Nagai K, Nishiwaki Y, Ochiai A. Clinicopathologic characteristics of peripheral squamous cell carcinoma of the lung. *Am J Surg Pathology.* 2003;27: 978-84.
17. Watanabe I, Arai T, Ono M, Sugito M, Kawashima K, Ito M, Nagai K, and Saito N. Prognostic factors in resection of pulmonary metastasis from colorectal cancer. *Brit J Surg.* 2003;90: 1436-40.