

PUBLICATION LIST; 2004

Breast Surgery Division

1. Hasebe T, Sasaki S, Imoto S, Ochiai A. Prognostic significance of the intra-vessel tumor characteristics of invasive ductal carcinoma of the breast: a prospective study. *Virchows Arch* 2004;444:20-7.
2. Wada N, Imoto S, Hasebe T, Ochiai A, Ebihara S, Moriyama N. Evaluation of intraoperative frozen section diagnosis of sentinel lymph nodes in breast cancer. *Jpn J Clin Oncol* 2004;34:113-7.
3. Hasebe T, Sasaki S, Imoto S, Ochiai A. Histological characteristics of tumor in vessels and lymph nodes are significant predictors of progression of invasive ductal carcinoma of the breast: a prospective study. *Hum Pathol* 2004;35:298-308.
4. Imoto S, Wada N, Murakami K, Hasebe T, Ochiai A, Ebihara S. Prognosis of breast cancer patients treated with sentinel node biopsy in Japan. *Jpn J Clin Oncol* 2004;34:452-6.
5. Inagaki M, Matsuoka Y, Sugahara Y, Nakano T, Akechi T, Fujimori M, Imoto S, Murakami K, Uchitomi Y. Hippocampal volume and first major depressive episode after cancer diagnosis in breast cancer survivors. *Am J Psychiatry* 2004;161:2263-70.

Colorectal (pelvic) Surgery Division

1. Saito N, Ono M, Sugito M, Ito M, Morihiro M, Kosugi C, Sato K, Kotaka M, Nomura S, Arai M, Kobatake T. Early results of intersphincteric resection for patients with very low rectal cancer an active approach to avoid a permanent colostomy. *Dis Colon Rectum* 2004;47:459-466.
2. Koda K, Saito N, Oda K, Takiguchi N, Sarashina H, Miyazaki M. Evaluation of lateral lymph node dissection with preoperative chemo-radiotherapy for the treatment of advanced middle to lower rectal cancers. *Int J Colorectal Dis* 2004;19:188-194.
3. Miyamoto S, Endoh Y, Hasebe T, Ishii G, Kodama K, Goya M, Ono M, Saito N, Chiba T, Ochiai A. Nuclear β -catenin accumulation as a prognostic factor in Dukes'D Human colorectal cancers. *ONCOLOGY REPOETS* 2004;12:245-251.
4. Nakamura M, Miyamoto C, Maeda H, Zhang S, Sangai T, Ishii G, Hasebe T, Endoh Y, Saito N, Asaka M, Ochiai A. Low levels of insulin-like growth factor type 1 reseptor expression at cancer cell membrane predict liver metastasis in Dukes'C human colorectal cancers. *Clinical Cancer Research* 2004;10:8434-8441.
5. Kosugi C, Saito N, Kimata Y, Ono M, Sugito M, Ito M, Koda K, Miyazaki M. Rectovaginal Fistulas after Rectal Cancer Surgery: Incidence and Surgical Repair by Gluteal-Fold Frap Repair. *Surgery* 2004 (in press)
6. Kosugi C, Saito N, Murakami K, Koda K, Ono M, Sugito M, Ito M, Ochiai A, Oda K, Seike K, Miyazaki M. Positron emission tomography for preoperative staging in patients with locally advanced or metastatic colorectal adenocarcinoma in lymph node metastasis: correlation with histopathologic characteristics of lymph node. *Word Journal Surgery* 2004 (in press).

Diagnostic Radiology Division

1. Nasu K, Kuroki Y, Kuroki S, Nawano S, Moriyama N. Diffusion weighted single shot echo planar imaging of colorectal cancer using a sensitivity encoding technique. *Jpn J Clin Oncol* 2004;34:620-626.
2. Nasu K, Kuroki Y, Kuroki S, Murakami K, Nawano S, Moriyama N. Optimization of Gd-DTPA-enhanced balanced turbo field echo sequence in abdominal imaging: A basic study. *MRMS* 2004;3:65-72.
3. Nasu K, Kuroki Y, Kuroki S, Murakami K, Nawano S, Moriyama N. Optimization of Gd-DTPA-enhanced balanced turbo field echo sequence in abdominal imaging: Clinical application. *MRMS* 2004;3:73-77.
4. Okuno T, Fu K, Sano Y, Yoshino T, Murakami K, Ochiai A, Yoshida S. Early colon cancers detected by FDG-PET: A report of two cases with immunohistochemical investigation. *Hepato-gastroenterology* 2004;51:1323-1325.
5. Kuroki Y, Nasu K, Kuroki S, Murakami K, Hayashi T, Sekiguchi R, Nawano S. Diffusion-weighted Imaging of Breast Cancer with the Sensitivity Encoding Technique: Analysis of the Apparent Diffusion Coefficient Value, *MRMS* 2004;3:79-85.
6. Imoto S, Wada N, Murakami K, Hasebe T, Ochiai A, Ebihara S. Prognosis of breast cancer patients treated with sentinal node biposy in Japan. *Jpn J Clin Oncol* 2004;34:452-456.
7. Inagaki M, Matsuoka Y, Sugahara Y, Nakano T, Akechi T, Fujimori M, Imoto S, Murakami K, Uchitomi Y. HIppocampal volume and first major depressive episode after cancer diagnosis in breast cancer survivors. *American Journal of Psychiatry* 2004;161:2263-2270.
8. Inoue K, Nakamura T, Kinoshita T, Konishi M, Nakagohri T, Oda T, Takahashi S, Hayashi T, Nawano S. Volume reduction surgery for advanced hepatocellular carcinoma. *J Cancer Res Clin Oncology* 2004;130:362-366.
9. Furuya S, Wei J, Hagihara Y, Shimizu A, Kobatake H, Nawano S. Improvement of performance to discriminate malignant tumors from normal tissue on mammograms by feature selection and evaluation of feature selection criteria. *Systems and Computers in Japan* 2004;35(7):72-84.
10. Kuroki Y, Nawano S, Uchiyama N. Clinical evaluation of CAD (Computer Aided Diagnosis) for Digital Mammography. *International Workshop for Digital Mammography 2004* (in press)
11. Uchiyama N, Nawano S, Kuroki Y, Nawano S, Iinuma G, Moriyama N. Evaluation of Computed Radiography for the Diagnosis of Ultra High Resolution Liquid-Crystal-Display Monitor Images and Conventional Hard Copy Images. *International Workshop for Digital Mammography 2004* (in press)

Digestive Endoscopy and Gastrointestinal Oncology Division

1. Sano Y, Kaihara T, Ito H, Fu KI, Machida H, Yoshino T, Fujii T, Yoshida S. A novel endoscopic device for retrieval of polyps resected from the colon and rectum. *Gastrointest Endosc* 2004;59(6):716-719.
2. Sano Y, Machida H, Fu KI, Ito H, Fujii T. Endoscopic mucosal resection and submucosal dissection method for large colorectal tumors. *Dig Endosc* 2004;16(S1):93-96.
3. Okuno T, Fu KI, Sano Y, Yoshino T, Murakami K, Ochiai A, Yoshida S. Early colon cancers detected by FDG-pet: a report of two cases with immunohistochemical investigation. *Hepatogastroenterology* 2004;51(59):1323-1325.

4. Gono K, Obi T, Yamaguchi M, Ohyama N, Machida H, Sano Y, Yoshida S, Hamamoto Y, Endo T. Appearance of enhanced tissue features in narrow-band endoscopic imaging. *J Biomed Opt* 2004;9(3):568-577.
5. Sano Y, Fujii T, Oda Y, Matsuda T, Takahiro Kozu T, Kudo S, Igarashi M, Iishi H, Fu KI, Kaneko K, Hotta K, Yoshino T, Ishikawa H, Murakami Y, Shimoda T, Fujimori T, Ajioka Y, Otani T, Saito H, Ochiai A, Yoshida S, and the Japan Polyp Study Workgroup. A multicenter randomized controlled trial designed to evaluate follow-up surveillance strategies for colorectal cancer: the Japan Polyp Study. *Dig Endosc* 2004;16(4):376-378.
6. Fu KI, Sano Y, Fujii T. A two-step method for endoscopic marking: do we need to change the needle and re-inject? *Gastrointest. Endosc* 2004;60(1):166
7. Fu KI, Sano Y, Kato S, Fujii T, Nagashima F, Yoshino T, Okuno T, Yoshida S, Fujimori T. Chromoendoscopy using indigo-carmin dye-spraying with magnifying observation. Is the most reliable method for differential diagnosis between non-neoplastic and neoplastic colorectal lesions? A prospective study. *Endoscopy* 2004;36(12):1089-1093.
8. Machida H, Sano Y, Hamamoto Y, Muto M, Kozu T, Tajiri H, Yoshida S. Narrow band imaging for differential diagnosis of colorectal mucosal lesions: a pilot study. *Endoscopy* 2004;36(12):1094-1098
9. Muto M, Nakane M, Katada C, Sano Y, Ohtsu A, Esumi H, Ebihara S, Yoshida S. Squamous cell carcinoma in situ at oropharyngeal and hypopharyngeal mucosal sites. *Cancer* 2004;101(6):1375-1381
10. Muto M, Ohtsu A, Yoshida S. Treatment strategies for esophageal stricture before or after chemoradiotherapy for advanced esophageal cancer. *Digestive Endoscopy* 2004;16:S5-S8
11. Narikiyo M, Tanabe C., Yamada Y., Igaki H., Tachimori Y., Kato H., Muto M., Montesano R., Sakamoto H., Nakajima Y. and Sasaki H. Frequent and preferential infection of *Treponema denticola*, *Streptococcus mitis*, and *Streptococcus anginosus* in esophageal cancers. *Cancer Sci* 2004;95:569-574.
12. Sano Y, Maeda N, Kanzaki A, Fujii T, Ochiai A, Takenoshita S, Takebayashi Y. Angiogenesis in colon hyperplastic polyp. *Cancer Lett* 2005;218:223-8.
13. Muto M, Miyamoto S, Doi T, Hosokawa A, Ohtsu A, Yoshida S, Hosokawa K, Saito D, Shim C.S. and Gossner L. Endoscopic mucosal resection in the stomach using the Insulated -Tip needle knife. *Endoscopy* 2005;37:178-182
14. Sano Y, Saito Y, Fu KI, Matsuda T, Uraoka T, Kobayashi N, Ito H, Machida H, Iwasaki J, Emura F, Hanafusa M, Yoshino T, Kato S, and Fujii T. Efficacy of Magnifying chromoendoscopy for the differential diagnosis of colorectal lesions. *Dig Endosc* (in press)
15. Sano Y, Tanaka S, Teixeira CR, Aoyama N. Endoscopic appearance of 0-IIc neoplastic colorectal lesions. *Endoscopy* (in press)
16. Sano Y, Muto M, Tajiri H, Ohtsu A, Yoshida S. Optical/digital chromoendoscopy during colonoscopy using narrow band imaging system. *Dig Endosc* (in press)
17. Fu KI, Sano Y, Kato S, Fujii T, Iwasaki J, Sugito M, Ono M, Saito N, Yoshida S, Fujimori T. Hazards of endoscopic biopsy for flat adenoma before endoscopic mucosal resection: a case report. *Dig. Dis. Sci. Hazards of endoscopic biopsy for flat adenoma before endoscopic mucosal resection: a case report. Dig Dis Sci* (in press)
18. Yoshida SE, Fu KI, Sano Y, Taku K, Endo Y. Rectal endometriosis. *Gastrointest Endosc* (in press)
19. Muto M, Sano Y, Ohtsu A, Yoshida S. Narrow Band Imaging; The Japanese Experience. *Clinical Gastroenterology and Hepatology* (in press)
20. Muto M, Takahashi M, Ebihara S, Yoshida S, Esumi H. Risk of multiple squamous cell carcinomas both in the esophagus and the head and neck region. *Carcinogenesis* (in press)
21. Yano T, Sano Y, Iwasaki J, Fu KI, Yoshino T, Kato S, Mera K, Ochiai A, Fujii T, and Yoshida S. Distribution and Prevalence of Colorectal Hyperplastic Polyps Using Magnifying Pan-mucosal Chromoendoscopy and Its Relationship with Synchronous Colorectal Cancer: A Prospective Study. *J Gastro Hepatol* (in press)
22. Katada C, Muto M, Manabe T, Ohtsu A, Yoshida S. Local recurrence after endoscopic mucosal resection for esophageal squamous cell carcinoma. *Gastrointest Endosc* (in press)
23. Ohtsu A. Chemoradiotherapy for esophageal cancer: Current status and perspectives. *Int J Clin Oncol* 2004;9:444-450.
24. Yoshida M, Ohtsu A, Boku N, Miyata Y, Shirao K, Shimada Y, Hyodo I, Koizumi W, Kurihara M, Yoshida S, Yamamoto S. Long-term Survival and Prognostic Factors in Patients with Metastatic Gastric Cancer Treated with Chemotherapy in the Japan Clinical Oncology Group (JCOG) Study. *Jpn J Clin Oncol* 2004;34(11):654-659.
25. Ohtsu A. Non-surgical treatment for primary gastric lymphoma. Educational program book. (The joint meeting of the Japanese Society of Hematology and the Japanese Society of Clinical Hematology) 2004;p77-83.
26. Tahara M, Ochiai A, Fujimoto J, Boku N, Yasui W, Ohtsu A, Tahara E, Yoshida S. Expression of thymidylate synthase, thymidine phosphorylase, dihydropyrimidine dehydrogenase, E2F-1, Bcl-X, and Bcl-2, and clinical outcomes for gastric cancer patients treated with bolus 5-fluorouracil. *Oncology Report* 2004;11(1):9-15.
27. Sai K, Saeki M, Saito Y, Ozawa S, Katori N, Jinno H, Hasegawa R, Kaniwa N, Sawada J, Komamura K, Ueno K, Kamakura S, Kitakaze M, Kitamura Y, Kamatani N, Minami H, Ohtsu A, Shirao K, Yoshida T, Saijo N. UGTA1A1 haplotypes associated with reduced glucuronidation increased serum bilirubin in irinotecan-administered Japanese patients with cancer. *Clinical Pharmacology & Therapeutics* 2004;75(6):501-515
28. Shirao K, Ohtsu A, Takada H, Mitachi Y, Hirakawa K, Horikoshi N, Okamura T, Hirata K, Saitoh S, Isomoto H, Satoh A. Phase II study of S-1 for treatment of metastatic colorectal carcinoma. *Cancer* 2004;100(11):2355-2361.
29. Shirao k, Hoff PM, Ohtsu A, Loehrer PJ, Hyodo I, Wadler S, Wadleigh RG, O'Dwyer PJ, Muro K, Yamada Y, Boku N, Nagashima F, Abbruzzese JL. Comparison of the efficacy, toxicity, and pharmacokinetics of a uracil/tegafur (UFT) plus oral leucovorin (LV) regimen between Japanese and American patients with advanced colorectal cancer: joint United States and Japan study of UFT/LV. *J Clin Oncol* 2004;22(17):3466-3474.
30. Yamao T, Shimada Y, Shirao K, Ohtsu A, Ikeda N, Hyodo I, Saito H, Iwase H, Tsuji Y, Tamura T, Yamamoto S, Yoshida S. Phase II study of sequential methotrexate and 5-fluorouracil chemotherapy against peritoneal disseminated gastric cancer with malignant ascites: a report from the Gastrointestinal Oncology Group of the Japan Clinical Oncology Group, JCOG9603 trial. *Jpn J Clin Oncol* 2004;34(6):316-322.

31. Fukushima-Uesaka H, Sai K, Maekawa K, Koyano S, Kaniwa N, Ozawa S, Kawamoto M, Kamatani N, Komamura K, Kamakura S, Kitakaze M, Tomoike H, Ueno K, Minami H, Ohtsu A, Shirao K, Yoshida T, Saijo N, Saito Y, Sawada J. Genetic variations of the AHR gene encoding aryl hydrocarbon receptor in a Japanese population. *Drug Metabol Pharmacokin* 2004;19(4):320-326.
32. Ohtsu A. Chemotherapy for advanced unresectable gastric cancer. *Diversity of Gastric Cancer* (in press)
33. Ohtsu A. Current status and perspectives of chemoradiotherapy: esophageal cancer. *Int J Clin Oncol* (in press)
34. Nagashima F, Ohtsu A, Yoshida S, et al. Japanese nation-wide post marketing survey of S-1 in patients with advanced gastric cancer. (in press)
35. Yano T. Salvage photodynamic therapy as a treatment for local failures after definitive chemoradiotherapy for oesophageal cancer. *Gastrointest Endosc* (in revision)

Gastric Surgery Division

1. Kinoshita T, et al. Feasibility study of adjuvant chemotherapy with S-1 (TS-1; tegafur, gimeracil, oteracil potassium) for gastric cancer---A pilot study. *Gastric Cancer* 2004;7:104-109.
2. Nakahashi N, Kinoshita T, et al. Long-term survival achieved by repeated resections of metachronous pulmonary and adrenal metastases of alpha-Fetoprotein-Producing gastric cancer: Report of a case *Surg Today* 2004;34:784-787.
3. Sano T, Kinoshita T, et al. Gastric cancer surgery : Morbidity and mortality results from a prospective randomized controlled trial comparing D2 and extended para-aortic lymphadenectomy-Japan Clinical Oncology Group Study 9501. *JCO* 2004;22:2767-2773.
4. Kobayashi A, Kinoshita T, et al. Aggressive surgical treatment for T4 gastric cancer. *J Gastrointest Surg* 2004;8:467-70.

Head & Neck Surgery Division

1. Sakuraba M, Kimata Y, Hishinuma S, Nishimura M, Gotohda N, Ebihara S. Importance of additional microvascular anastomosis in esophageal reconstruction after salvage esophagectomy. *Plast Reconstr Surg* 2004;113:1934-1939.
2. Lim SC, Zhang S, Ishii G, Endoh Y, Kodama K, Miyamoto S, Hayashi R, Ebihara S, Cho JS, Ochiai A. Predictive markers for late cervical metastases in stage I and II invasive squamous cell carcinoma of the oral tongue. *Clin Cancer Res* 2004;10:166-172.
3. Muto M, Nakane M, Katada C, Sano Y, Ohtsu A, Esumi H, Ebihara S, Yoshida S. Squamous cell carcinoma in situ at oropharyngeal and hypopharyngeal mucosal sites. *Cancer* 2004;101:1375-1381.
4. Sakuraba M, Kimata Y, Hishinuma S, Nishimura M, Gotohda N, Ebihara S. Importance of additional microvascular anastomosis in esophageal reconstruction after salvage esophagectomy. *Plast Reconstr Surg* (in press)
5. Kimata Y. Deep circumflex iliac artery perforator flap. In: Blondeel PN Editor. *Perforator flaps: Anatomy, Technique & Clinical Applications*. St. Louis: Quality Medical Publishing, Inc. (in press)

Hepatobiliary & Pancreatic Oncology and Surgery Division

1. Ishii H, Furuse J, Kinoshita T, Konishi M, Nakagohri T, Takahashi S, Gotohda N, Nakachi K, Yoshino M. Extrahepatic Spread from Hepatocellular Carcinoma: Who are Candidates for Aggressive Anti-cancer Treatment? *Jpn J Clin Oncol* 2004;34:733-9.
2. Ishii H, Furuse J, Nagase M, Kawashima M, Ikeda H, Yoshino M. Relief of jaundice by external beam radiotherapy and intraluminal brachytherapy in patients with extrahepatic cholangiocarcinoma: results without stenting. *Hepatogastroenterology* 2004;51:954-957.
3. Ishii H, Furuse J, Nagase M, Yoshino M, Kawashima M, Satake M, Ogino T, Ikeda H. Hepatic arterial infusion of 5-fluorouracil and extrabeam radiotherapy for liver metastases from pancreatic carcinoma. *Hepatogastroenterology* 2004;51:1175-1178.
4. Ishii H, Furuse J, Yonemoto N, Nagase M, Yoshino M, Sato T. Chemotherapy in the treatment of advanced gallbladder cancer. *Oncology* 2004;66:138-142.
5. Kosugi C, Furuse J, Ishii H, Maru Y, Yoshino M, Kinoshita T, Konishi M, Nakagohri T, Inoue K, Oda T. Needle tract implantation of hepatocellular carcinoma and pancreatic carcinoma after ultrasound-guided percutaneous puncture: clinical and pathologic characteristics and the treatment of needle tract implantation. *World J Surg* 2004;28:29-32.
6. Ishii H, Furuse J, Nagase M, Yoshino M. Impact of gemcitabine on the treatment of metastatic pancreatic cancer. *J Gastroenterol Hepatol* 2005;20:62-66.
7. Furuse J, Ishii H, Nagase M, et al. Focus on Pancreatic Cancer. Chemoradiation therapy for locally advanced pancreatic carcinoma: intraoperative and conformal external beam radiation therapy with or without protracted 5-fluorouracil infusion. *Nova Science Publishers* (in press)
8. Kawashima M, Furuse J, Nishio T, et al. A phase II study of radiotherapy employing proton beam for hepatocellular carcinoma. *J Clin Oncol* (in press)
9. Furuse J, Ishii H, Nagase M, et al. Adverse hepatic events caused by radiotherapy for advanced hepatocellular carcinoma. *J Gastroenterol Hepatol* (in press)

Oncology/Hematology Division

1. Takenaka T, Itoh K, Suzuki T, Utsunomiya A, Matsuda S, Chou T, Sai T, Sano M, Konda S, Ohno T, Mikuni C, Deura K, Yamada T, Mizorogi F, Nagoshi H, Tomonaga M, Hotta T, Kawano K, Tsushita K, Hirano M, Shimoyama M. Phase III Study of Ranimustine, Cyclophosphamide, Vincristine, Melphalan, and Prednisolone (MCNU-COP/MP) versus Modified COP/MP in Multiple Myeloma: A Japan Clinical Oncology Group Study, JCOG 9301. *Int J Hematol* 2004;79: 165-173.
2. Tobinai K, Igarashi T, Itoh K, Kobayashi Y, Taniwaki M, Ogura M, Kinoshita T, Hotta T, Aikawa K, Tsushita K, Hiraoka A, Matsuno Y, Nakamura S, Mori S, Ohashi Y. Japanese multicenter phase II and pharmacokinetic study of rituximab in relapsed or refractory patients with aggressive B-cell lymphoma. *Ann Oncol* 2004;15:821-830.
3. Nakajima H, Akatsuka Y. The Fifth Nagoya International Blood and Marrow Transplantation Symposium: Unlimited Possibilities of Hematopoietic Cell Transplantation: Lessons from the Past and Prospects for the Future. *Int J Hematol* 2004;79:200-204.

- Nakajima H, Oki M, Ando K. Hypopyon in Patient with Chronic Myelogenous Leukemia. *Bloodmed* 2004.
- Nakajima H, Oki M, Matsukura S, et al. Germ Cell Tumors: CASE 1. Intraocular Metastases From Testicular Cancer. *J Clin Oncol* 2004;22:1753-1755.
- Nakajima H, Oki M, Ando K. Unusual lymphoma manifestations: case 3. CD8+ T-cell prolymphocytic leukemia. *J Clin Oncol* 2004;22:560-562.

Palliative Care and Psychiatric Service

- Akechi T, Okuyama T, Sugawara Y, Nakano T, Shima Y, Uchitomi Y. Major depression, adjustment disorders, and post-traumatic stress disorder in terminally ill cancer patients: associated and predictive factors. *J Clin Oncol* 2004;22:1957-65.
- Akechi T, Okuyama T, Sugawara Y, Nakano T, Shima Y, Uchitomi Y. Suicidality in terminally ill Japanese patients with cancer. *Cancer* 2004;100:183-91.
- Akechi T, Sakuma K, Okamura M, Akizuki N, Oba A, Nakano T, Uchitomi Y. Post-traumatic symptoms experienced by a nurse after a patient suicide. *Jpn J Gen Hosp Psychiatry* 2004;16:49-54.
- Inagaki M, Matsuoka Y, Sugahara Y, Nakano T, Akechi T, Fujimori M, Imoto S, Murakami K, Uchitomi Y. Hippocampal volume and first major depressive episode after cancer diagnosis in breast cancer survivors. *Am J Psychiatry* 2004;161:2263-70.
- Morita T, Akechi T, Ikenaga M, Kizawa Y, Kohara H, Mukaiyama T, Nakaho T, Nakashima N, Shima Y, Matsubara T, Fujimori M, Uchitomi Y. Communication about the ending of anticancer treatment and transition to palliative care. *Anal Oncol* 2004;15:1551-7.
- Morita T, Ikenaga M, Adachi I, Narabayashi I, Kizawa Y, Honke Y, Kohara H, Mukaiyama T, Akechi T, Kurihara Y, Uchitomi Y. Concerns of family members of patients receiving palliative sedation therapy. *Support Care Cancer* 2004;12:885-9.
- Morita T, Ikenaga M, Adachi I, Narabayashi I, Kizawa Y, Honke Y, Kohara H, Mukaiyama T, Akechi T, Uchitomi Y. Family experience with palliative sedation therapy for terminally ill cancer patients. *J Pain Symptom Manage* 2004;28:557-65.
- Morita T, Kawa M, Honke Y, Kohara H, Maeyama E, Kizawa Y, Akechi T, Uchitomi Y. Existential concerns of terminally ill cancer patients receiving specialized palliative care in Japan. *Support Care Cancer* 2004;12:137-40.
- Murakami Y, Okamura H, Sugano K, Yoshida T, Kazuma K, Akechi T, Uchitomi Y. Psychologic distress after disclosure of genetic test results regarding hereditary nonpolyposis colorectal carcinoma. *Cancer* 2004;101:395-403.
- Okuyama T, Wang XS, Akechi T, Mendoza TR, Hosaka T, Cleeland CS, Uchitomi Y. Adequacy of cancer pain management in a Japanese Cancer Hospital. *Jpn J Clin Oncol* 2004;34:37-42.

Plastic & Reconstructive Surgery Division

- Sakuraba M, Kimata Y, Hishinuma S, Nishimura M, Gotohda N, Ebihara, S. Importance of Additional Microvascular anastomosis in Esophageal Reconstruction after Salvage Esophagectomy. *Plastic and Reconstructive Surgery* 2004;113:1934-1939.

- Sarukawa S, Sugawara Y, Harii K, Cephalometric long-term follow-up of Nasal Augmentation using iliac bone graft. *J Cranio-Maxillo Surg* 2004;32:233-235

Radiation Oncology Division

- Okusaka T, Ito Y, Ueno H, Ikeda M, Takezako, Morizane C, Kagami Ikeda H. Phase II study of radiotherapy combined with gemcitabine for locally advanced pancreatic cancer. *Brit J Cancer* 2004;91:673-7.
- Ishii H, Furuse J, Nagase M, Yoshino M, Kawashima M, Satake M, Ogino T, Ikeda H. Hepatic arterial infusion of 5-fluorouracil and extrabeam radiotherapy for liver metastases from pancreatic carcinoma. *Hepatogastroenterology* 2004;51:1175-8.
- Ishii H, Furuse J, Nagase M, Kawashima M, Ikeda H, Yoshino M. Relief of jaundice by external beam radiotherapy and intraluminal brachytherapy in patients with extrahepatic cholangiocarcinoma: results without stenting. *Hepatogastroenterology* 2004;51:954-7.
- Kawashima M, Fuwa N, Myojin M, Nakamura K, Toita T, Saijo S, Hayashi N, Ohnishi H, Shikama N, Kano M, Yamamoto M. A Multi-institutional survey of the effectiveness of chemotherapy combined with radiotherapy for patients with nasopharyngeal carcinoma. *Jpn J Clin Oncol* 2004;34:569-83.
- Kawashima M. Chemoradiotherapy for head and neck cancer: current status and perspectives. *Int J Clin Oncol* 2004;9:421-34.
- Kawashima M, Furuse J, Nishio T, Konishi M, Ishii H, Kinoshita T, Nagase M, Nihei K, Ogino T. A phase II study of radiotherapy employing proton beam for hepatocellular carcinoma. *J Clin Oncol* 2005 (in press)
- Yokomizo A, Kawamoto H, Nihei K, Ishizuka N, Takechi Y, Tobisu K, and Naito S. Randomized controlled trial to evaluate radiotherapy +/- endocrine therapy vs. endocrine therapy alone for PSA failure after radical prostatectomy: Japan Clinical Oncology Group Study JCOG 0401. *Jpn J Clin Oncol* 2005 (in press)
- Ishikura S, Ohe Y, Nihei K, Kubota K, Kakinuma R, Ohmatsu H, Goto K, Niho S, Nishiwaki Y, Ogino T. A phase II study of hyperfractionated accelerated radiotherapy (HART) following induction cisplatin (CDDP) and vinorelbine (VNR) for stage III non-small cell lung cancer (NSCLC). *Int J Radiat Oncol Biol Phys* 2005 (in press)

Thoracic Oncology and Surgery Division

- Ohe Y, Niho S, Kakinuma R, Kubota K, Ohmatsu H, Goto K, Nokihara H, Kunitoh N, Saijo N, Aono H, Watanabe K, Tango M, Yokoyama A, Nishiwaki Y. A phase II study of cisplatin and docetaxel administered as three consecutive weekly infusions for advanced non-small-cell lung cancer in elderly patients. *Ann Oncol* 2004;15:45-50.
- Kakinuma R, Ohmatsu H, Kaneko M, Kusumoto M, Yoshida J, Nagai K, Nishiwaki Y, Kobayashi T, Tsuchiya R, Nishiyama H, Matsui E, Eguchi K, Moriyama N. Progression of focal pure ground-glass opacity detected by low-dose helical computed tomography screening for lung cancer. *J Comput Assist Tomogr* 2004;28:17-23.

3. Kubota K, Watanabe K, Kunitoh H, Noda K, Ichinose Y, Katakami N, Sugiura T, Kawahara M, Yokoyama A, Yokota S, Yoneda S, Matsui K, Kudo S, Shibuya M, Isobe T, Segawa Y, Nishiwaki Y, Ohashi Y, Niitani H. Phase III randomized trial of docetaxel plus cisplatin versus vindesine plus cisplatin in patients with stage IV non-small-cell lung cancer: the Japanese taxotere lung cancer study group. *J Clin Oncol* 2004;22:254-261.
4. Suzuki S, Akechi T, Kobayashi M, Taniguchi K, Goto K, Sasaki S, Tsugane S, Nishiwaki Y, Miyaoka H, Uchitomi Y. Daily omega-3 fatty acid intake and depression in Japanese patients with newly diagnosed lung cancer. *Brit J Cancer* 2004;90:787-793.
5. Shiono S, Yoshida J, Nishimura M, Nitadori J, Ishii G, Nishiwaki Y, Nagai K. Late pulmonary metastasis of renal cell carcinoma resected 25 years after nephrectomy. *Jpn J Clin Oncol* 2004;34:46-49.
6. Yoshikawa T, Aoyagi Y, Kodama K, Kamijo T, Yonou H, Yokose T, Ishii G, Oda T, Takamochi K, Nagai K, Nishiwaki Y, Shimizu N, Ochiai A. Topographical distribution of allelic loss in individual lung adenocarcinomas with lymph node metastases. *Modern Pathology* 2004;17:204-213.
7. Niho S, Ohe Y, Goto K, Ohmatsu H, Matsumoto T, Kubota K, Kakinuma R, Nishiwaki Y. Randomized trial of oral versus intravenous antibiotics in low-risk febrile neutropenic patients with lung cancer. *Jpn J Clin Oncol* 2004;34:69-73.
8. Yoh K, Ishii G, Yokose T, Minegishi Y, Tsuta K, Goto K, Nishiwaki Y, Kodama T, Suga M, Ochiai A. Breast cancer resistance protein impacts clinical outcome in platinum-based chemotherapy for advanced non-small cell lung cancer. *Clin Cancer Res* 2004;10:1691-1697.
9. Minegishi Y, Ohmatsu H, Miyamoto T, Niho S, Goto K, Kubota K, Kakinuma R, Kudoh S, Nishiwaki Y. Efficacy of droperidol in the prevention of cisplatin-induced delayed emesis: a double-blind, randomised parallel study. *Eur J Cancer* 2004;40:1188-92.
10. Yoh K, Niho S, Goto K, Ohmatsu H, Kubota K, Kakinuma R, Nishiwaki Y. High body mass index correlates with increased risk of venous irritation by vinorelbine infusion. *Jpn J Clin Oncol* 2004;34:206-9.
11. Takamochi K, Ogura T, Yokose T, Ochiai A, Nagai K, Nishiwaki Y, Suzuki K, Esumi H. Molecular analysis of the TSC1 gene in adenocarcinoma of the lung. *Lung cancer* 2004;46:271-281.
12. Shimizu K, Yoshida J, Nagai K, Nishimura M, Yokose T, Ishii G, Nishiwaki Y. Visceral pleural invasion classification in non-small cell lung cancer: A proposal on the basis of outcome assessment. *J Thorac Cardiovasc Surg* 2004;127:1574-1578.
13. Takamochi K, Yoshida J, Nishimura M, Yokose T, Sasaki S, Nishiwaki Y, Suzuki K, Nagai K. Prognosis and histologic features of small pulmonary adenocarcinoma based on serum carcinoembryonic antigen level and computed tomographic findings. *Eur J Cardio-thorac Surg* 2004;25:877-83.
14. Minami H, Ohe Y, Niho S, Goto K, Ohmatsu H, Kubota K, Kakinuma R, Nishiwaki Y, Nokihara H, Sekine I, Saijo N, Hanada K, Ogata H. Comparison of pharmacokinetics and pharmacodynamics of docetaxel and cisplatin in elderly and non-elderly patients: Why is toxicity increased in elderly patients? *J Clin Oncol* 2004;22:2901-2908.
15. Goto K, Sekine I, Nishiwaki Y, Kakinuma R, Kubota K, Matsumoto T, Ohmatsu H, Niho S, Kodama T, Shinkai T, Tamura T, Ohe Y, Kunitoh N, Yamamoto N, Nokihara H, Yoahida K, Sugiura T, Matsui K, Saijo N. Multi-institutional phase II trial of irinotecan, cisplatin, and etoposide for sensitive relapsed small-cell lung cancer. *Brit J Cancer* 2004;91:659-665.
16. Tsuta K, Ishii G, Yoh K, Nitadori J, Hasebe T, Nishiwaki Y, Endoh Y, Kodama T, Nagai K, Ochiai A. Primary lung carcinoma with signet-ring cell carcinoma components Clinicopathological analysis of 39 cases. *Am J Surg Pathol* 2004;28:868-874.
17. Kim YH, Ishii G, Goto K, Nagai K, Tsuta K, Shiono S, Nitadori J, Kodama T, Nishiwaki Y, Ochiai A. Dominant papillary subtype is a significant predictor of the response to gefitinib in adenocarcinoma of the lung. *Clin Cancer Res* 2004;10:7311-7317.
18. Arao T, Fukumoto H, Takeda M, Tamura T, Saijo N, and Nishio K. Small in-frame deletion in the epidermal growth factor receptor as a target for ZD6474. *Cancer Res* 2004;64(24):9101-9104.
19. Taguchi F, Koh Y, Koizumi F, Tamura T, Saijo N, and Nishio K. Anticancer effects of ZD6474, a VEGF receptor tyrosine kinase inhibitor, in gefitinib ("Iressa")-sensitive and resistant xenograft models. *Cancer Sci* 2004;95(12):984-989.
20. Saijo N. Summary of the ASCO-JSCO joint symposium. *Int J Clin Oncol* 2004;9(5):343-345.
21. Saijo N. What are the reasons for negative phase III trials of molecular-target-based drugs? *Cancer Sci* 2004;95(10):772-776.
22. Fukushima-Uesaka H, Sai K, Maekawa K, Koyano S, Kaniwa N, Ozawa S, Kawamoto M, Kamatani N, Komamura K, Kamakura S, Kitakaze M, Tomoike H, Ueno K, Minami H, Ohtsu A, Shirao K, Yoshida T, Saijo N, Saito Y, and Sawada J. Genetic variations of the AHR gene encoding aryl hydrocarbon receptor in a Japanese population. *Drug Metabol Pharmacokin* 2004;19(4):320-326.
23. Sekine I, Noda K, Oshita F, Yamada K, Tanaka M, Yamashita K, Nokihara H, Yamamoto N, Kunitoh H, Ohe Y, Tamura T, Kodama T, Sumi M, Saijo N. Phase I study of cisplatin, vinorelbine, and concurrent thoracic radiotherapy for unresectable stage III non-small cell lung cancer. *Cancer Sci* 2004;95(8):691-695.
24. Takano T, Ohe Y, Kusumoto M, Tateishi U, Yamamoto S, Nokihara H, Yamamoto N, Sekine I, Kunitoh H, Tamura T, Kodama T, Saijo N. Risk factors for interstitial lung disease and predictive factors for tumor response in patients with advanced non-small cell lung cancer treated with gefitinib. *Lung Cancer* 2004;45(1):93-104.
25. Sai K, Saeki M, Saito Y, Ozawa S, Katori N, Jinno H, Hasegawa R, Kaniwa N, Sawada J, Komamura K, Ueno K, Kamakura S, Kitakaze M, Kitamura Y, Kamatani N, Minami H, Ohtsu A, Shirao K, Yoshida T, Saijo N. UGT1A1 haplotypes associated with reduced glucuronidation and increased serum bilirubin in irinotecan-administered Japanese patients with cancer. *Clin Pharmacol Ther* 2004;75(6):501-505.
26. Saijo N, Horiike A. Topoisomerase I inhibitors in small-cell lung cancer. The Japanese experience. *Oncology* 2004;18(7 suppl 4):11-16.
27. Sekine I, Nokihara H, Horiike A, Yamamoto N, Kunitoh H, Ohe Y, Tamura T, Kodama T, Saijo N. Phase I study of cisplatin analogue nedaplatin (254-S) and paclitaxel in patients with unresectable squamous cell carcinoma. *Br J Cancer* 2004;90(6):1125-1128.
28. Taguchi F, Kusaba H, Asai A, Iwamoto Y, Yano K, Nakano H, Mizukami T, Saijo N, Kato H, Nishio K. hnRNP L enhances sensitivity of the cells to KW-2189. *Int J Cancer* 2004;108(5):679-685.
29. Sekine I, Yamamoto N, Kunitoh H, Ohe Y, Tamura T, Kodama T, Saijo N. Treatment of small cell lung cancer in the elderly based on a critical literature review of clinical trials. *Cancer Treat Rev* 2004;30(4):359-368.

30. Fukushima-Uesaka H, Saito Y, Watanabe H, Shiseki K, Saeki M, Nakamura T, Kurose K, Sai K, Komamura K, Ueno K, Kamakura S, Kitakaze M, Hanai S, Nakajima T, Matsumoto K, Saito H, Goto Y, Kimura H, Katoh M, Sugai K, Minami N, Shirao K, Tamura T, Yamamoto N, Minami H, Ohtsu A, Yoshida T, Saijo N, Kitamura Y, Kamatani N, Ozawa S, Sawada J. Haplotypes of CYP3A4 and their close linkage with CYP3A5 haplotypes in a Japanese population. *Hum Mutat* 2004;23(1):100.
31. Koizumi F, Kanzawa F, Ueda Y, Koh Y, Tsukiyama S, Taguchi F, Tamura T, Saijo N, Nishio K. Synergistic interaction between the EGFR tyrosine kinase inhibitor gefitinib ("Iressa") and the DNA topoisomerase I inhibitor CPT-11 (irinotecan) in human colorectal cancer cells. *Int J Cancer* 2004;108(3):464-472.
32. Saijo N. Adjuvant lung cancer trials using UFT based chemotherapy. *Lung Cancer* 2004;46(Suppl.1):S14-S15.
33. Shiono S, Yoshida J, Nishimura M, Nitadori J, Ishii G, Nishiwaki Y, Nagai K. Late Pulmonary Metastasis of Renal Cell Carcinoma Resected 25 Years after Nephrectomy. *Jpn J Clin Oncol* 2004;34:46-49.
34. Tada H, Tsuchiya R, Ichinose Y, Koike T, Nishizawa N, Nagai K, Kato H. A Randomized Trial Comparing Adjuvant Chemotherapy Versus Surgery Alone for Completely Resected pN2 Non-Small Cell Lung Cancer (JCOG9304). *Lung Cancer* 2004;43:167-173.
35. Yonou H, Yokose T, Yoshikawa T, Kanomata N, Kamijo T, Hasebe T, Nagai K, Ito H, Yamasaki A, Hatano T, Ogawa Y, Emura M, Ochiai A. Engraftment of Adult Human Lung Tissue in Nonobese Diabetic/Severe Combined Immunodeficient Mice: A Novel Lung Epithelial Regeneration Model. *Pathobiology* 2004;71:93-102.
36. Yoshikawa T, Aoyagi Y, Kodama K, Kamijo T, Yonou H, Yokose T, Ishii G, Oda T, Takamochi K, Nagai K, Nishiwaki Y, Shimizu , Ochiai A. Topographical Distribution of Allelic Loss in Individual Lung Adenocarcinomas with Lymphnode Metastases. *Modan Pathology* 2004;17:204-213.
37. Kakinuma R, Ohmatsu H, Kaneko M, Kusumoto M, Yoshida J, Nagai K, Nishiwaki Y, Kobayashi T, Tsuchiya R, Nishiyama H, Matsui E, Eguchi K, Moriyama N. Progression of Focal Pure Ground-Glass Opacity Detected by Low-Dose Helical Computed Tomography Screening for Lung Cancer. *J Comput Assist Tomogr* 2004;28:17-23.
38. Shimizu K, Yoshida J, Nagai K, Nishimura M, Yokose T, Ishii G, Nishiwaki Y. Visceral Pleural Invasion Classification in Non-Small Cell Lung Cancer: A Proposal on the Basis of Outcome. *J Thorac Cardiovasc Surg* 2004;127:1574-1578.
39. Takamochi K, Yoshida J, Nishimura M, Yokose T, Sasaki S, Nishiwaki Y, Suzuki K, Nagai K. Prognosis and Histologic Features of Small Pulmonary Adenocarcinoma Based on Serum Carcinoembryonic Antigen Level and Computed Tomographic Findings. *Eur J Cardio-thoracic Surg* 2004;25:877-883.
40. Igarashi T, Shi-Xu Jiang, Kameya T, Asamura H, Sato Y, Nagai K, Okayasu I. Divergent Cyclin B1 Expression and Rb/p16/cyclin D1 Pathway Aberrations Among Pulmonary Neuroendocrine Tumors. *Modern Pathology* 2004;17:1259-1267.
41. Goya M, Miyamoto S, Nagai K, Ohki Y, Nakamura K, Shitara K, Maeda H, Sangai T, Kodama K, Endoh, Y, Ishii G, Hasebe T, Yonou H, Hatano T, Ogawa Y, Ochiai A. Growth Inhibition of Human Prostate Cancer Cells in Human Adult Bone Implanted into Nonobese Diabetic/Severe Combined Immunodeficient Mice by a Ligand-Specific Antibody to Human Insulin-Like Growth Factors. *Cancer Reserch* 2004;64:6252-6258.
42. Tsuta K, Ishii G, Yoh K, Nitadori J, Hasebe T, Nishiwaki Y, Endoh Y, Kodama T, Nagai K, Ochiai A. Primary Lung Carcinoma with Signet-ring Cell Carcinoma Components Clinicopathological Analysis of 39 Cases. *Am J Surg Pathol* 2004;28:868-874.
43. Takamochi K, Ogura T, Yokose T, Ochiai A, Nagai K, Nishiwaki Y, Suzuki K, Esumi H. Molecular Analysis of the TSC1 Gene in Adenocarcinoma of the Lung. *Lung Cancer* 2004;46:271-281.
44. Kim Y.H, Ishii G, Goto K, Nagai K, Tsuta K, Shiono S, Nitadori J, Kodama T, Nishiwaki Y, and Ochiai A. Dominant Papillary Subtype Is a Significant Predictor of the Response to Gefitinib in Adenocarcinoma of the Lung. *Clin Cancer Res* 2004;10:7311-7317.