

## Breast Surgery

1. Wada N, Imoto S, Yamauchi C, Hasebe T, Ochiai A. Predictors of tumour involvement in remaining axillary lymph nodes of breast cancer patients with positive sentinel lymph node. *Eur J Surg Oncol* 2006;32:29-33.
2. Imoto S, Ochiai A, Okumura C, Wada N, Hasebe T. Impact of isolated tumor cells in sentinel lymph nodes detected by immunohistochemical staining. *Eur J Surg Oncol* 2006;32:1175-1179.

## Diagnostic Radiology

3. Nasu K, Kuroki Y, Nawano S, Kuroki S, Tsukamoto T, Yamamoto S, Motoori K, Ueda T. Hepatic metastases:diffusion-weighted sensitivity-encoding versus SPIO-enhanced MR imaging. *Radiology* 2006;239:122-130.
4. Nasu k, Kuroki Y, Sekiguchi R, Kazama T, Nakajim H. Measurement of the apparent diffusion coefficient in the liver : is it a reliable index for hepatic disease diagnosis? *Radiation Medicine* 2006;24:438-444.
5. Nasu K, Kuroki Y, Sekicughi R, Nawano S. The effect of simultaneous use of respiratory triggering in diffusion-weighted imaging of the liver. *Magn Reson Med Sci* 2006;5:129-136.

## Endoscopy & Gastrointestinal Oncology

6. Muto M, Sano Y, Fujii S, Ochiai A, Yoshida S. Endoscopic diagnosis of hypopharyngeal, esophageal and gastric neoplasm. *Digestive Endoscopy* 2006;18:S2-S5.
7. Sano Y, Horimatsu T, Fu KI, Katagiri A, Muto M, Ishikawa H. Magnifying observation of microvascular architecture of colorectal lesions using a narrow band imaging system. *Dig Endoscopy* 2006;18:S44-S51.
8. Kato S, Fu KI, Sano Y, Fujii T, Saito Y, Matsuda T, Koba I, Yoshida S, Fujimori T. Magnifying colonoscopy as a non-biopsy technique for differential diagnosis of non-neoplastic and neoplastic lesions. *World J Gastroenterol* 2006;12:1416-1420.
9. Fu KI, Sano Y, Kato S, Saito H, Ochiai A, Fujimori T, Saito Y, Matsuda T, Fujii T, Yoshida S. Primary signet-ring cell carcinoma of the colon at early stage: a case report and a review of the literature. *World J Gastroenterol* 2006;12:3446-3449.
10. Fu KI, Sano Y. Images in clinical medicine. Progression of a pedunculated polyp. *N Engl J Med* 2006;355:1912.
11. Fu KI, Kobayashi A, Saito N, Sano Y, Kato S, Ikematsu H, Fujimori T, Kaji Y, Yoshida S. Alpha-fetoprotein-producing colon cancer with atypical bulky lymph node metastasis. *World J Gastroenterol* 2006;12:7715-7716.
12. Iwasaki J, Sano Y, Fu KI, Machida A, Okuno T, Kuwamura H, Yoshino T, Mera K, Kato S, Ohtsu A, Yoshida S, Fujii T. Depressed-type (0-IIc) colorectal neoplasm in patients with family history of first-degree relatives with colorectal cancer: A cross-sectional study. *World J Gastroenterol* 2006;12:3082-3087.
13. Kaihara T, Fu KI, Sano Y, Yamashita K, Ochiai A, Yoshida S, Fujimori T. Depressed-type early invasive colon cancer in a patient treated with cyclooxygenase-2 inhibitor. *Dig Dis Sci* 2006;51:885-888.
14. Dal Ho Kim, Muto M, Kuwahara Y, Nakanishi Y, Watanabe H, Aoyagi k, Ogawa K, Yoshida T, Sasaki

- H. Array-based comparative genomic hybridization of circulating esophageal tumor cells. *Oncol Rep* 2006;16:1053-1059.
15. Oda I, Saito D, Tada M, Iishi H, Tanabe S, Oyama T, Doi T, Otani Y, Fujisaki J, Ajioka Y, Hamada T, Inoue H, Gotoda T, Yoshida S. A multicenter retrospective study of endoscopic resection for early gastric cancer. *Gastric Cancer* 2006;9:262-270.
  16. Sano Y, Fu KI, Saito Y, Doi T, Hanafusa M, Fujii S, Fujimori T, Ohtsu A. A newly developed bipolar-current needle-knife for endoscopic submucosal dissection of large colorectal tumors. *Endoscopy* 2006;38:E95.
  17. Taku K, Sano Y, Fu KI, Saito Y. Iatrogenic perforation at therapeutic colonoscopy: should the endoscopist attempt closure using endoclips or transfer immediately to surgery? *Endoscopy* 2006;38:428.
  18. Hyodo I, Shirao K, Doi T, Hatake K, Arai Y, Yamaguchi K, Tamura T, Takemiya S, Takiuchi H, Nakagawa K, Mishima H. A phase II study of the global dose and schedule of capecitabine in Japanese patients with metastatic colorectal cancer. *Jpn J Clin Oncol* 2006;36:410-417.
  19. Yamaguchi K, Shimamura T, Hyodo I, Koizumi W, Doi T, Narahara H, Komatsu Y, Kato W, Saitoh S, Akiya T, Munakata M. Phase I/II study of docetaxel and S-1 in patients with advanced gastric cancer. *Br J Cancer* 2006;94:1803-1808.
  20. Shirao K, Matsumura Y, Yamada Y, Muro K, Gotoh M, Boku N, Ohtsu A, Nagashima F, Sano Y, Mutoh M, Tanigawara Y. Phase I study of single-dose oxaliplatin in Japanese patients with malignant tumors. *Jpn J Clin Oncol* 2006;36:295-300.
  21. Yamada Y, Ohtsu A, Boku N, Miyata Y, Shimada Y, Doi T, Muro K, Muto M, Hamaguchi T, Mera K, Yano T, Tanigawara Y, Shirao K. Phase I/II study of oxaliplatin with weekly bolus fluorouracil and high-dose leucovorin (ROX) as first-line therapy for patients with colorectal cancer. *Jpn J Clin Oncol* 2006;36:218-223.
  22. Rojo F, Tabernero J, Albanell J, Van Cutsem E, Ohtsu A, Doi T, Koizumi W, Shirao K, Takiuchi H, Ramon y Cajal S. Pharmacodynamic studies of gefitinib in tumor biopsy specimens from patients with advanced gastric carcinoma. *J Clin Oncol* 2006;24:4309-4316.
  23. Ohtsu A, Sasako M. Overview of adjuvant therapy for resected gastric cancer: differences in Japan and the United States. *Semin Oncol* 2006;32:S101.
  24. Ohtsu A, Yoshida S, Saijo N. Disparities in gastric cancer chemotherapy between the East and West. *J Clin Oncol* 2006;24:2188-2196.
  25. Ashida A, Boku N, Aoyagi K, Sato H, Tsubosa Y, Minashia K, Muto M, Ohtsu A, Ochiai A, Yoshida T, Yoshida S, Sasaki H. Expression profiling of esophageal squamous cell carcinoma patients treated with definitive chemoradiotherapy: clinical implications. *Int J Oncol* 2006;28:1345-1352.

## Head and Neck Surgery

26. Saikawa M. Function-preserving surgery for various cancers. *Int J Clin Oncol* 2006;11:337-338.
27. Daiko H, Isohata N, Sano M, Aoyagi K, Ogawa K, Kameoka S, Yoshida T, Sasaki H. Molecular profiles of the mouse postnatal development of the esophageal epithelium showing delayed growth start. *Int J Mol Med* 2006;18:1057-1066.

## Hematology & Oncology

28. Saeki M, Saito Y, Jinno H, Sai k, Ozawa S, Kurose K, Kaniwa N, Komamura K, Kotake T, Morishita H, Kamakura S, Kitakaze M, Tomoike H, Shirao K, Tamura T, Yamamoto N, Kunitoh H, Hamaguchi T, Yoshida T, Kubota K, Ohtsu A, Muto M, Minami H, Saijo N, Kamatani N, Sawada J-i. Haplotype structures of the UGT1A gene complex in a Japanese population. *The Pharmacogenomics Journal* 2006;6:63-75.
29. Maekawa K, Itoda M, Sai K, Saito Y, Kaniwa N, Shirao K, Hamaguchi T, Kunitoh H, Yamamoto N, Tamura T, Minami H, Kubota K, Ohtsu A, Yoshida T, Saijo N, Kamatani N, Ozawa S, Sawada J-I. Genetic variation and haplotype structure of the ABC transporter gene ABCG2 in a Japanese population. *Drug Metabolism and Pharmacokinetics* 2006;21:109-121.
30. Yoh K, Tahara M, Kawada K, Mukai H, Nakata M, Itoh K, Kawashima M, Nishimura H, Hayashi R, Ogino T, Minami H. Chemotherapy in the treatment of advanced or recurrent olfactory neuroblastoma. *J Clin Oncol* 2006;2:180-184.
31. Tobinai K, Watanabe T, Ogura M, Morishima Y, Ogawa Y, Ishizawa K, Minami H, Utsunomiya A, Taniwaki M, Terauchi T, Nawano S, Matsusako M, Matsuno Y, Nakamura S, Mori S, Ohashi Y, Hayashi M, Seriu T, Hotta T. Phase II study of oral fludarabine phsopate in relapsed indolent B-cell non-Hodgkin lymphoma. *J Clin Oncolo* 2006;24:174-180.
32. Ogawa Y, Hotta T, Tobinai K, Watanabe T, Sasaki Y, Minami H, Morishima Y, Ogura M, Seriu T. Phase I and pharmacokinetic study of oral fludarabine phosphate in relapsed indolent B-cell non-Hodgkin's lymphoma. *Ann Oncol* 2006;17:330-333.
33. Minami H, Kawada K, Sasaki Y, Igarashi T, Saeki T, Tahara M, Itoh K, Fujii H. Pharmacokinetics and pharmacodynamics of protein-unbound docetaxel in cancer patients. *Cancer Science* 2006;97:235-241.
34. Kim SR, Saito Y, Maekawa K, Kaniwa N, Ueno H, Okusaka T, Morizane C, Yamamoto N, Ikeda M, Yoshida T, Minami H, Furuse J, Ishii H, Saijo N, Kamatani N, Ozawa S, Sawada J. Thirty novel genetic variations in the SLC29A1 gene encoding human equilibrative nucleoside transporter 1 (hENT1). *Drug Metab Pharmacokin* 2006;21:248-256.
35. Nakajima Y, Yoshitani T, Fukushima-Uesaka H, Saito Y, Kaniwa N, Kurose K, Ozawa S, Aoyagi N, Kamatani N, Yamamoto N, Kunitoh H, Ohe Y, Tamura T, Yoshida T, Minami H, Saijo N, Katori N, Sawada J. Impact of the haplotype CYP3A4\*16B harboring the Thr185Ser substitution on paclitaxel metabolism in Japanese cancer patients. *Clin Pharmacol Ther* 2006;80:179-191.
36. Sai K, Itoda M, Saito Y, Kurose K, Katori N, Kaniwa N, Komamura K, Kamakura S, Kitakaze M, Tamura T, Yamamoto N, Kunitoh H, Yamada Y, Ohe Y, Shimada Y, Shirao K, Minami H, Ohtsu A, Yoshida T, Saijo N, Kamatani N, Ozawa S, Sawada J. Genetic variations and haplotype structures of the ABCB1 gene in a Japanese population: an expanded haplotype block covering the distal promoter region and its ethnic differences. *Ann Hum Genet* 2006;70:605-622.
37. Tamura T, Minami H, Yamada Y, Yamamoto N, Shimoyama T, Murakami H, Horiike A, Fujisaka Y, Shinkai T, Tahara M, Kawada K, Ebi H, Sasaki Y, Haiyi J, Saijo N. A phase I dose-escalation study of ZD6474 in Japanese patients with solid malignant tumors. *J Thoracic Oncol* 2006;1:1002-1009.
38. Morishima Y, Ogura M, Yoneda S, Sakai H, Tobinai K, Nishiwaki Y, Minami H, Hotta T, Ezaki K, Ohe Y, Yokoyama A, Tsuboi M, Mori K, Watanabe K, Ohashi Y, Hirashima K, Saijo N, Japan Erythropoietin Study Group. Once-weekly epoetin beta improves hemoglobin levels in cancer patients with chemotherapy-induced anemia. A randomized, double-blind, dose-finding study. *Jpn J Clin Oncol* 2006;36:655-661.

## Gastric, Hepatobiliary & Pancreatic Surgery

39. Gotohda N, Kinoshita T, Konishi M, Nakagohri T, Takahashi S, Furuse J, Ishii H, Yoshino M. New indication for reduction surgery in patients with advanced hepatocellular carcinoma with major vascular involvement. *World J Surg* 2006;30:431-438.
40. Takahashi S, Kuroki Y, Nasu K, Nawano S, Konishi M, Nakagohri T, Gotohda N, Saito N, Kinoshita T. Positron emission tomography with F-18 fluorodeoxyglucose in evaluating colorectal hepatic metastasis down-staged by chemotherapy. *Anticancer Res* 2006;26:4705-4712.
41. Kobayashi A, Konishi M, Nakagohri T, Takahashi S, Kinoshita T. Therapeutic approach to tumors of the ampulla of Vater. *Amer J of Surg* 2006;92:161-164.
42. Mitsunaga S, Kinoshita T, Kawashima M, Konishi M, Nakagohri T, Takahashi S, Gotohda N. Extrahepatic portal vein occlusion without recurrence after pancreaticoduodenectomy and intraoperative radiation therapy. *Int J Radiation Oncology Biol Phys* 2006;64:730-735.
43. Takahashi S, Konishi M, Nakagohri T, Gotohda N, Saito N, kinoshita T. Short time to recurrence after hepatic resection correlates with poor prognosis in colorecta hepatic metastasis. *Jpn J Clin Oncol* 2006;36:368-375.
44. Takahashi S, Konishi M, Nakagohri T, Gotohda N, Hanaoka T, Saito N, Kinoshita T. Importance of intra-individual variation in tumour volume of hepatic colorectal metastases. *Eur J Surg Oncol* 2006;32:1195-1200.
45. Gotohda N, Iwagaki H, Ozaki M, Konishi M, Nakagohri T, Takahashi S, Yagi T, Kinoshita T, Tanaka N. The role of a protease inhibitor against hepatectomy. *Hepatogastroenterology* 2006;53:115-119.
46. Nakagohri T, Kinoshita T, Konishi M, Takahashi S, Gotohda N. Nodal involvement is strongest predictor of poor survival in patients with invasive adenocarcinoma of the head of the pancreas. *Hepato-Gastroenterology* 2006;53:447-451.
47. Gotohda N, Nakagohri T, Saito N, Ono M, Sugito M, Ito M, Inoue K, Oda T, Takahashi S, Kinoshita T. A case of anaplastic ductal carcinoma of the pancreas with production of granulocyte-colony stimulating factor. *Hepato-Gastroenterology* 2006;53:957-959.
48. Gotohda N, Ishii H, Konishi M, Nakagohri T, Takahashi S, Furuse J, Yoshino M, Kinoshita T. Selection criteria for reduction hepatectomy for multiple advanced hepatocellular carcinoma. *Anticancer Res* 2006;26:4671-4674.

## Hepatobiliary & Pancreatic Oncology

49. Ueno H, Sato T, Yamamoto S, Tanaka K, Ohkawa S, Takagi H, Yokosuka O, Furuse J, Saito H, Sawaki A, Kasugai H, Osaki Y, Fujiyama S, Sato K, Wakabayashi K, Okusaka T. Randomized, double-blind, placebo-controlled trial of bovine lactoferrin in patients with. *Cancer Sci* 2006;97:1105-1110.
50. Furuse J, Okusaka T, Funakoshi A, Yamao K, Nagase M, Ishii H, Nakachi K, Ueno H, Ikeda M, Morizane C, Horikawa Y, Mizuno N. Early phase II study of uracil-tegafur plus doxorubicin in patients with unresectable advanced biliary tract cancer. *Jpn J Clin Oncol* 2006;36:552-556.
51. Okusaka T, Ishii H, Funakoshi A, Yamao K, Ohkawa S, Saito S, Saito H, Tsuyuguchi T. Phase II study of single-agent gemcitabine in patients with advanced biliary tract cancer. *Cancer Chemother Pharmacol* 2006;57:647-653.
52. Okusaka T, Ishii H, Funakoshi A, Ueno H, Furuse J, Sumii T. A phase I/II study of combination chemotherapy with gemcitabine and 5-fluorouracil for advanced pancreatic cancer. *Jpn J Clin Oncol* 2006;36:557-563.

## Colorectal (Pelvic) and Urological Surgery

53. Saito N, Moriya Y, Shirouzu K, Maeda K, Moshizuki H, Koda K, Hirai T, Sugito M, Ito M, Kobayashi A. Interphincteric resection in patients with very low rectal cancer: a review of the Japanese experience. *Dis Colon & Rectum* 2006;49:s13-s22.

## Plastic & Reconstructive Surgery

54. Sarukawa S, Sakuraba M, Kimata Y, Yasumura T, Uchiyama K, Hishinuma S, Nakatsuka T, Hayashi R, Ebihara S, Harii K. Standardization of free jejunum transfer after total pharyngolaryngoesophagectomy. *The Laryngoscope* 2006;116:981.
55. Sarukawa S, Kashiwaya G, Sakuraba M. A new flap design for reconstruction of full-thickness defects of the lower lip: the extended upper lip island (EULI) flap. *J Plast Reconstr Aesthetic Surg* 2006;59:1436-1441.
56. Sakamoto Y, Sano T, Shimada K, Kosuge T, Kimata Y, Sakuraba M, Yamamoto J, Ojima H. Clinical significance of reconstruction of right hepatic artery for biliary malignancy. *Langenbecks archives of surgery* 2006;391:203-208.

## Thoracic Oncology and Surgery

57. Enatsu S, Yoshida J, Yokose T, Nishimura M, Nishiwaki Y, Shirakusa T, Nagai K. Pleural lavage cytology before and after lung resection in non-small cell lung cancer patients. *Ann Thorac Surg* 2006;81:298-304.
58. Sekine I, John D Minna, Nishio K, Tamura T, Saijo N. A literature review of molecular markers predictive of clinical response to cytotoxic chemotherapy in patients with lung cancer. *Journal of Thoracic Oncology* 2006;1:31-37.
59. Sekine I, Ohe Y, Saijo N, Tamura T. Clinical trials for lung cancer in progress in Japan. *Tumor of the Chest* 2006;463-469.
60. Saijo N. Recent trends in the treatment of advanced lung cancer. *Cancer Sci* 2006;97:448-452.
61. Sekine I, Nokihara H, Yamamoto N, Kunitoh H, Ohe Y, Saijo N, Tamura T. Common arm analysis: one approach to develop the basis for global standardization in clinical trials for non-small cell lung cancer. *Lung Cancer* 2006;53:157-164.
62. Niho S, Kubota K, Goto K, Yoh K, Ohmatsu H, Kakinuma R, Saijo N, Nishiwaki Y. First-line single agent treatment with gefitinib in patients with advanced non-small-cell lung cancer: a phase II study. *J Clin Oncol* 2006;24:64-69.
63. Park k, Goto K. A review of the benefit-risk profile of gefitinib in Asian patients with advanced non-small-cell lung cancer. *Curr Med Res Opin* 2006;22:561-573.
64. Sekine I, Sumi M, Ito Y, Nokihara H, Yamamoto N, Kunitoh H, Ohe Y, Kodama T, Saijo N, Tamura T. Retrospective analysis of steroid therapy for radiation-induced lung injury in lung cancer patients. *Radiother Oncol* 2006;80:93-97.
65. Niho S, Goto K, Yoh K, Kim Hak Y, Ohmatsu H, Kubota K, Saijo N, Nishiwaki Y. Interstitial shadow on chest CT is associated with the onset of interstitial lung disease caused by chemotherapeutic drugs. *Jpn J Clin Oncol* 2006;36:269-273.
66. Asamura H, Kameya T, Matsuno Y, Noguchi M, Tada H, Ishikawa Y, Yokose T, Shi-Xu Jiang, Inoue T, Nakagawa K, Tajima K, Nagai K. Neuroendocrine neoplasms of the lung: a prognostic spectrum. *J Clin*

- Oncol 2006;24:70-76.
67. Edelman J, Sekine I, Tamura T, Saijo N. Geographic variation in the second-line treatment of non-small cell lung cancer. *Semin Oncol* 2006;33:S39-S44.
  68. Watanabe H, Kunitoh H, Yamamoto S, Kawasaki S, Inoue A, Hotta K, Shiomi K, Kusumoto M, Sugimura K, Saijo N. Effect of the introduction of minimum lesion size on interobserver reproducibility using RECIST guidelines in non-small cell lung cancer patients. *Cancer Sci* 2006;97:214-228.
  69. Shimoyama T, Koiaumi F, Fukamoto H, Kiura K, Tanimoto , Saijo N, Nishio K. Effect of different combinations of gefitinib and irinotecan in lung cancer cell lines expressing wild or deletional EGFR. *Lung Cancer* 2006;53:13-21.
  70. Sakai K, Yokote T, Murakami-Murofushi K, Tamura T, Saijo N, Nishio K. In-frame in the EGF receptor alters kinase inhibition by gefitinib. *Biochem J* 2006;397:537-543.
  71. Fujisaka Y, Tamura T, Ohe Y, Kunitoh H, Sekine I, Yamamoto N, Nokihara H, Horiike A, Kodama T, Saijo N. Pharmacokinetics and pharmacodynamics of weekly epoetin beta in lung cancer patients. *Jpn J Clin Oncol* 2006;36:477-482.
  72. Sekine I, Nokihara H, Sumi M, Saijo N, Nishiwaki Y, Ishikura S, Mori K, Tsukiyama I, Tamura T. Docetaxel consolidation therapy following cisplatin, vinorelbine, and concurrent thoracic radiotherapy in patients with unresectable stage III non-small cell lung cancer. *Journal of Thoracic Oncology* 2006;1:810-815.
  73. Konno H, Ishii G, Nagai K, Yoshida J, Nishimura M, Fujii T, Murata Y, Miyamoto H, Ochiai A. Carbonic anhydrase IX expression is associated with tumor prognosis and a poor prognosis of lung adenocarcinoma. *Lung Cancer* 2006;54:409-418.
  74. Nitadori J, Inoue M, Iwasaki M, Otani T, Sasazuki S, Nagai K, Tsugane S. Association between lung cancer incidence and family history of lung cancer data from a large-scale population-based cohort study, the JPHC study. *CHEST* 2006;130:968-975.
  75. Shimizu K, Yoshida J, Nagai K. Mediastinal lymph node metastases and visceral pleural invasion in non-small cell lung cancer patients. *Ann Thorac Surg* 2006;81:1947

## Pathology Division

76. Araki K, Sangai T, Miyamoto S, Maeda H, Zhang S, Nakamura M, Ishii G, Hasebe T, Kusaka H, Akiyama T, Tokuda Y, Nagai K, Minami H, Ochiai A. Inhibition of bone-derived insulin-like growth factors by a ligand-specific antibody suppresses the growth of human multiple myeloma in the human adult bone explanted in NOD/SCID mouse. *Int J Cancer* 2006;118:2602-2608.
77. Goya M, Ishii G, Miyamoto S, Hasebe T, Nagai K, Yonou H, Hatano T, Ogawa Y, Ochiai A. Prostate-specific antigen induces apoptosis of osteoclast precursors: potential role in osteoblastic bone metastases of prostate cancer. *Prostate* 2006;66:1573-1584.
78. Sangai T, Ishii G, Fujimoto H, Ikehara A, Ito T, Hasebe T, Magae J, Nagashima T, Miyazaki M, Ochiai A. Hormonal stimulation increases the recruitment of bone marrow-derived myoepithelial cells and periductal fibroblasts into the mammary gland. *Biochem Biophys Res Commun* 2006;346:1173-1180.
79. Zhang S, Hironaka S, Ohtsu A, Yoshida S, Hasebe T, Fukayama M, Ochiai A. Computer-assisted analysis of biopsy specimen microvessels predicts the outcome of esophageal cancers treated with chemoradiotherapy. *Clin Cancer Res* 2006;12:1735-1742.
80. Ohta T, Takahashi M, Ochiai A. Increased protein expression of both inducible nitric oxide synthase and cyclooxygenase-2 in human colon cancers. *Cancer Lett* 2006;239:246-253.
81. Yano T, Doi T, Ohtsu A, Boku N, Hashizume K, Nakanishi M, Ochiai A. Comparison of HER2 gene

- amplification assessed by fluorescence in situ hybridization and HER2 protein expression assessed by immunohistochemistry in gastric cancer. *Oncol Rep* 2006;15:65-71.
82. Ishikubo T, Akagi K, Kurosumi M, Yamaguchi K, Fujimoto T, Sakamoto H, Tanaka Y, Ochiai A. Immunohistochemical and mutational analysis of c-kit in gastrointestinal neuroendocrine cell carcinoma. *Jpn J Clin Oncol* 2006;36:494-498.
  83. Yoshino T, Nakamura S, Matsuno Y, Ochiai A, Yokoi T, Kitadai Y, Suzumiya J, Kobayashi Y, Oda I, Mera K, Ohtsu A, Ishikura S. Epstein-barr virus involvement is a predictive factor for the resistance to chemoradiotherapy of gastric diffuse large b-cell lymphoma. *Cancer Sci* 2006;97:163-166.
  84. Shiono S, Nagai K, Tsuta K, Nitadori J, Kodama T, Ochiai A. Immunohistochemical prognostic factors in resected colorectal lung metastases using tissue microarray analysis. *Eur J Surg Oncol* 2006;32:308-309.
  85. Shiono S, Ishii G, Ochiai A. Limited value of histopathologic prognostic factors for resected colorectal lung metastases. *Ann Thorac Surg* 2006;81:1547-1548.
  86. Nitadori J, Ishii G, Tsuta K, Yokose T, Murata Y, Kodama T, Nagai K, Kato H, Ochiai A. Immunohistochemical differential diagnosis between large cell neuroendocrine carcinoma and small cell carcinoma by tissue microarray analysis with a large antibody panel. *Anat Pathol* 2006;125:682-692.
  87. Saijo T, Ishii G, Nagai K, Funai K, Nitadori J, Tsuta K, Nara M, Hishida T, Ochiai A. Differences in clinicopathological and biological features between central-type and peripheral-type squamous cell carcinoma of the lung. *Lung Cancer* 2006;52:37-45.
  88. Tsuta K, Ishii G, Nitadori J, Murata T, Kodama T, Nagai K, Ochiai A. Comparison of the immunophenotypes of signet-ring cell carcinoma, solid adenocarcinoma with mucin production, and mucinous bronchioloalveolar carcinoma of the lung characterized by the presence of cytoplasmic mucin. *J Pathol* 2006;209:78-87.
  89. Saijo T, Ishii G, Ochiai A, Yoh K, Goto K, Nagai K, Kato H, Nishiwaki Y, Saijo N. Eg5 expression is closely correlated with the response of advanced non-small cell lung cancer to antimitotic agents combined with platinum chemotherapy. *Lung Cancer* 2006;54:217-225.

## **Investigative Treatment Division**

90. Negishi T, Koizumi F, Uchino H, Kuroda J, Kawaguchi T, Naito S, Matsumura Y. NK105, a paclitaxel-incorporating micellar nanoparticle, is a more potent radiosensitising agent compared to free paclitaxel. *Br J Cancer* 2006;95:601-606.
91. Koizumi F, Kitagawa M, Negishi T, Onda T, Matsumoto S, Hamaguchi T, Matsumura Y. Novel SN-38-incorporating polymeric micelles, NK012, eradicate vascular endothelial growth factor-secreting bulky tumors. *Cancer Res* 2006;66:10048-10056.

## **Cancer Physiology Project**

92. Awale S, Lu J, Kalauni SK, Kurashima Y, Tezuka Y, Kadota S, Esumi H. Identification of arctigenin as an antitumor agent having the ability to eliminate the tolerance of cancer cells to nutrient starvation. *Cancer Res* 2006;66:1751-1757.
93. Zaidi SF, Awale S, Kalauni SK, Tezuka Y, Esumi H, Kadota S. Diterpenes from "Pini Resina" and their preferential cytotoxic activity under nutrient-deprived condition. *Planta Med* 2006;72:1231-1234.
94. Masuda T, Ohba S, Kawada M, Osono M, Ikeda D, Esumi H, Kunimoto S. Antitumor effect of

- kigamicin D on mouse tumor models. *J Antibiot (Tokyo)* 2006;59:209-214.
95. Kishimoto A, Ogura T, Esumi H. A pull-down assay for 5' AMP-activated protein kinase activity using the GST-fused protein. *Mol Biotechnol* 2006;32:17-21.
  96. Bobarykina AY, Minchenko DO, Opentanova IL, Moenner M, Caro J, Esumi H, Minchenko OH. Hypoxic regulation of PFKFB-3 and PFKFB-4 gene expression in gastric and pancreatic cancer cell lines and expression of PFKFB genes in gastric cancers. *Acta Biochim Pol* 2006;53:789-799.
  97. Morito N, Yoh K, Fujioka Y, Nakano T, Shimohata H, Hashimoto Y, Yamada A, Maeda A, Matsuno F, Hata H, Suzuki A, Imagawa S, Mitsuya H, Esumi H, Koyama A, Yamamoto M, Mori N, Takahashi S. Overexpression of c-Maf contributes to T-cell lymphoma in both mice and human. *Cancer Res* 2006;66:812-819.
  98. Suzuki A, Ogura T, Esumi H. NDR2 acts as the upstream kinase of ARK5 during insulin-like growth factor-1 signaling. *J Biol Chem* 2006;281:13915-13921.
  99. Ando M, Sugiyama H, Ichihara S, Endo T, Bando H, Yamasaki K, Ohbayashi C, Chikaura Y, Esumi H, Maksimenko A, Li G. Sharper image of breast cancer cells and stroma in dense breast using thinner angular filter under X-ray dark-field imaging. *Jpn J Appl Phys* 2006;45:L740-L743.

## **Cancer Immunotherapy Project**

100. Komori H, Nakatsura T, Senju S, Yoshitake Y, Motomura Y, Ikuta Y, Fukuma D, Yokomine K, Harao M, Beppu T, Matsui M, Torigoe T, Sato N, Baba H, Nishimura Y. Identification of HLA-A2- or HLA-A24-restricted CTL epitopes possibly useful for glypican-3-specific immunotherapy of hepatocellular carcinoma. *Clin Cancer Res* 2006;12:2689-2697.
101. Motomura Y, Senju S, Nakatsura T, Matsuyoshi H, Hirata S, Monji M, Komori H, Fukuma D, Baba H, Nishimura Y. Embryonic stem cell-derived dendritic cells expressing glypican-3, a recently identified oncofetal antigen, induce protective immunity against highly metastatic mouse melanoma, B16-F10. *Cancer Res* 2006;66:2414-2422.
102. Muchemwa F.C., Nakatsura T, Ihn H, Kageshita T. Heat shock protein 105 is overexpressed in squamous cell carcinoma and extramammary Paget disease but not in basal cell carcinoma. *Br J Dermatol* 2006;155:582-585.
103. Yokomine K, Nakatsura T, Minohara M, Kira JI, Kubo T, Sasaki Y, Nishimura Y. Immunization with heat shock protein 105-pulsed dendritic cells leads to tumor rejection in mice. *Biochem Biophys Res Commun* 2006;343:269-278.
104. Hosaka S, Nakatsura T, Tsukamoto H, Hatayama T, Baba H, Nishimura Y. Synthetic small interfering RNA targeting heat shock protein 105 induces apoptosis of various cancer cells both in vitro and in vivo. *Cancer Sci* 2006;97:623-632.

## **Functional Imaging Division**

105. Erturk SM, Ichikawa T, Fujii H, Yasuda S, Ros PR. PET imaging for evaluation of metastatic colorectal cancer of the liver. *Eur J Radiol* 2006;58:229-235.
106. Yamaguchi M, Mitsumori F, Watanabe H, Takaya N, Minami M. In vivo localized 1H MR spectroscopy of rat testes: stimulated echo acquisition mode (STEAM) combined with short TI inversion recovery (STIR) improves the detection of metabolite signals. *Magn Reson Med* 2006;55:749-754.

## Psycho-Oncology Division

107. Akechi T, Okuyama T, Sugawara Y, Shima Y, Furukawa T.A, Uchitomi Y. Screening for depression in terminally ill cancer patients in Japan. *J Pain Symptom Manage* 2006;31:5-12.
108. Yoshikawa E, Matsuoka Y, Yamasue H, Inagaki M, Nakano T, Akechi T, Kobayakawa M, Fujimori M, Nakaya N, Akizuki N, Imoto S, Murakami K, Kasai K, Uchitomi Y. Prefrontal cortex and amygdala volume in first minor of major depressive episode after cancer diagnosis. *Biological Psychiatry* 2006;59:707-712.
109. Kato N., Kawata M, Pitman R.K. (Eds.) , Matsuoka Y, Nagamine M, Uchitomi Y. Intrusion in women with breast cancer. *PTSD Brain Mechanisms and Clinical Implications Springer* 2006;169-177.
110. Kei Hirai, Mitsunori Miyashita, Tatsuya Morita, Makiko Sanjo, Yosuke Uchitomi. Good death in Japanese cancer care: a qualitative study. *J Pain Symptom Manage* 2006;31:140-147.
111. Morita T, Miyashita M, Shibagaki M, Hirai K, Ashiya T, Ishihara T, Matsubara T, Miyoshi I, Nakaho T, Nakashima N, Onishi H, Ozawa T, Suenaga K, Tajima T, Akechi T, Uchitomi Y. Knowledge and beliefs about end-of-life care and the effects of specialized palliative care: a population-based survey in Japan. *J Pain Symptom Manage* 2006;31:306-316.
112. Matsuoka Y, Nagamine M, Inagaki M, Yoshikawa E, Nakano Y, Akechi T, Kobayakawa M, Hara E, Imoto S, Murakami K, Uchitomi Y. Cavum septi pellucidi and intrusive recollections in cancer survivors. *Neurosci Res* 2006;56:344-346.
113. Fujimori M, Kobayakawa M, Nakaya N, Nagai K, Nishiwaki Y, Inagaki M, Uchitomi Y. Psychometric properties of the Japanese version of the quality of life-cancer survivors instrument. *Qual Life Res* 2006;15:1633-1638.
114. Morita T, Hyodo I, Yoshimi T, Ikenaga M, Tamura Y, Yoshizawa A, Shimada A, Akechi T, Miyashita M, Adachi I; for the Japan Palliative Oncology Study Group. Artificial hydration therapy, laboratory findings, and fluid balance in terminally ill patients with abdominal malignancies. *Pain Symptom Manage* 2006;31:130-139.
115. Akechi T, Okuyama T, Akizuki N, Azuma H, Sagawa R, Furukawa T.A, Uchitomi Y. Course of psychological distress and its predictors in advanced non-small cell lung cancer patients. *Psycho-Oncology* 2006;15:463-473.
116. Akechi T, Akizuki N, Okamura M, Shimizu K, Oba A, Ito T, Yoshikawa E, Nakano T, Inagaki M, Uchitomi Y. Psychological distress experienced by families of cancer patients: preliminary findings from psychiatric consultation of a Cancer Center Hospital. *Jpn J Clin Oncol* 2006;36:329-332.
117. Nakaya N, Goto K, Saito-Nakaya K, Inagaki M, Otani T, Akechi T, Nagai K, Hojo F, Uchitomi Y, Tsugane S, Nishiwaki Y. The lung cancer database project at the National Cancer Center, Japan: study design, corresponding rate and profiles of cohort. *Jpn J Clin Oncol* 2006;36:280-284.
118. Nakaya N, Saito-Nakaya K, Akizuki N, Yoshikawa E, Kobayakawa M, Fujimori M, Nagai K, Nishiwaki Y, Fukudo S, Tsubono Y, Uchitomi Y. Depression and survival in patients with non-small cell lung cancer after curative resection: a preliminary study. *Cancer Sci* 2006;97:199-205.
119. Akechi T, Iwasaki M, Uchitomi Y, Tsugane S. Alcohol consumption and suicide among middle-aged men in Japan. *Br J Psychiatry* 2006;188:231-236.
120. Saito-Nakaya K, Nakaya N, Fujimori M, Akizuki N, Yoshikawa E, Kobayakawa M, Nagai K, Nishiwaki Y, Tsubono Y, Uchitomi Y. Marital status, social support and survival after curative resection in non-small-cell lung Cancer. *Cancer Sci* 2006;97:206-213.
121. Nakaya N, PE Hansen, IR Schapiro, LF Eplow, Saito-Nakaya K, Uchitomi Y, C Johansen. Personality traits and cancer survival: a Danish cohort study. *Br J Cancer* 2006;95:146-152.

## Particle Therapy Division

122. Nihei K, Ogino T, Ishikura S, Nishimura H. High-dose proton beam therapy for stage 0 non-small-cell lung cancer. *Int J Radiation Oncology Biol Phys* 2006;65:107-111.
123. Nishio T, Ogino T, Nomura K, Uchida H. Dose-volume delivery guided proton therapy using beam on-line PET system. *Med Phys* 2006;33:4190-4197.
124. Kohno R, Nishio T, Miyagishi T, Hirano E, Hotta K, Kawashima M, Ogino T. Experimental evaluation of a MOSFET dosimeter for proton dose measurements. *Phys Med Biol* 2006;51:6077-6086.
125. Nishio T, Kataoka S, Tachibana M, Matasumura K, Uzawa N, Saito H, Sasano T, Yamaguchi M, Ogino T. Development of simple control system for uniform proton dose distribution in a dual-ring double scattering method. *Phys Med Biol* 2006;51:1249-1260.
126. Fukushima Y, Hamada M, Nishio T, Maruyama K. Development of an easy-to-handle range measurement tool using a plastic scintillator for proton beam therapy. *Phys Med Biol* 2006;51:5927-5936.
127. Mori S, Endo M, Kohno R, Asakura H, Kohno K, Yashiro T, Komatsu S, Kandatsu S, Baba M. Respiratory correlated segment reconstruction algorithm towards four-dimensional radiation therapy using carbon ion beams. *Radiother Oncol* 2006;80:341-348.
128. Mori S, Endo M, Kohno R, Minohara S. Improved motion compensation in 3D-CT using respiratory-correlated segment reconstruction; diagnostic and radiotherapy applications. *Br J Radiol* 2006;79:745-755.
129. Nishio T, Kunieda E, Shirato H, Ishikura S, Onishi H, Tateoka K, Hiraoka M, Narita Y, Ikeda M, Goka T. Dosimetric verification in participating institutions in a stereotactic radiotherapy trial for stage I non-small cell lung cancer: Japan clinical oncology group trial (JCOG0403). *Phys Med Biol* 2006;51:5409-5417.
130. Nakamura K, Shioyama Y, Kawashima M, Saito Y, Nakamura N, Nakata K, Hareyama M, Takeda T, Karasawa K, Watanabe T, Yorozu A, Tachibana H, Suzuki G, Hayabuchi N, Toba T, Yamada S. Multi-institutional analysis of early squamous cell carcinoma of the hypopharynx treated with radical radiotherapy. *Int J Radiation Oncology Biol Phys* 2006;65:1045-1050.
131. Kawashima M, Kagami Y, Toita T, Uno T, Sugiyama M, Tamura Y, Hirota S, Fuwa N, Hashimoto M, Yoshida H, Shikama N, Kataoka M, Akuta K, Sasaki K, Tamamoto T, Nemoto K, Ito H, Kato H, Yamada S, Ikeda H. Prospective trial of radiotherapy for patients 80 years of age or older with squamous cell carcinoma of the thoracic esophagus. *Int J Radiation Oncology Biol Phys* 2006;64:1112-1121.