

別紙表 2

全がん協部位別臨床病期別 10 年生存率

(2004-2007 年診断症例)

		I	II	III	IV	全 症例 (注)	手術 症例	手術率 (%)	病期 判明率 (%)	追跡率 (%)
食道 C15	症例数	898	922	1,294	1,080	4,312	1,667	38.7	97.3	96.9
	実測 生存率(%)	57.0	31.9	16.6	6.9	26.2	35.6			
	相対 生存率(%)	70.4	38.3	19.6	8.1	31.8	41.9			
胃 C16	症例数	9,203	1,304	1,619	2,592	15,143	9,650	63.7	97.2	93.6
	実測 生存率(%)	74.4	49.2	30.7	4.9	55.0	59.5			
	相対 生存率(%)	90.8	58.6	37.0	5.9	66.8	70.5			
結腸 C18	症例数	1,337	1,168	1,420	1,137	5,270	4,665	88.5	96.1	91.8
	実測 生存率(%)	79.3	67.3	62.8	11.3	56.7	60.0			
	相対 生存率(%)	98.1	83.7	75.9	13.3	69.6	73.6			
直腸 C19-20	症例数	936	801	1,090	685	3,697	3,308	89.5	95.0	92.6
	実測 生存率(%)	77.1	69.2	60.5	11.4	57.7	59.4			
	相対 生存率(%)	89.3	82.9	70.3	13.3	67.4	69.4			
大腸 C18-20 再掲1	症例数	2,273	1,969	2,510	1,822	8,967	7,973	88.9	95.6	92.1
	実測 生存率(%)	78.4	68.0	61.8	11.4	57.1	59.8			
	相対 生存率(%)	94.4	83.3	73.4	13.3	68.7	71.8			
肝 C22	症例数	1,279	1,086	948	453	3,901	1,060	27.2	96.5	96.7
	実測 生存率(%)	22.3	14.0	5.4	2.1	13.1	28.5			
	相対 生存率(%)	27.8	17.0	6.4	2.3	16.1	34.5			

		I	II	III	IV	全 症例 (注)	手術 症例	手術率 (%)	病期 判明率 (%)	追跡率 (%)
胆のう・ 胆管 C23-24	症例数	394	397	242	506	1,675	912	54.4	91.9	96.7
	実測 生存率(%)	39.2	14.3	9.2	1.0	15.7	25.3			
	相対 生存率(%)	47.7	18.1	11.6	1.2	19.1	30.7			
膵臓 C25	症例数	202	647	634	1,576	3,231	1,130	35.0	94.7	97.9
	実測 生存率(%)	30.2	8.1	2.7	0.9	5.2	13.2			
	相対 生存率(%)	35.3	10.0	3.1	1.2	6.2	15.8			
喉頭 C32	症例数	401	315	156	256	1,147	413	36.0	98.3	94.0
	実測 生存率(%)	67.7	49.3	50.3	26.5	50.9	48.7			
	相対 生存率(%)	84.6	61.8	62.7	31.3	63.3	58.9			
肺 C33-C34	症例数	5,237	1,202	3,411	3,887	14,001	6,214	44.4	98.1	96.3
	実測 生存率(%)	55.9	25.7	10.4	1.8	27.0	54.3			
	相対 生存率(%)	67.1	31.3	12.3	2.2	32.4	64.8			
乳 50 (女)	症例数	5,190	5,451	1,199	540	12,479	11,798	94.5	99.2	95.3
	実測 生存率(%)	91.9	83.5	60.5	18.0	81.8	84.8			
	相対 生存率(%)	98.0	88.4	63.8	19.2	86.8	90.1			
子宮頸 C53 (女)	症例数	1,322	531	563	314	2,780	1,718	61.8	98.2	92.5
	実測 生存率(%)	86.3	63.9	44.6	18.9	65.6	80.6			
	相対 生存率(%)	89.0	68.6	47.9	20.2	68.7	83.0			

		I	II	III	IV	全 症例 (注)	手術 症例	手術率 (%)	病期 判明率 (%)	追跡率 (%)
子宮体 C54 (女)	症例数	1,727	146	345	167	2,527	2,358	93.3	94.4	93.5
	実測 生存率(%)	87.5	84.9	57.4	13.2	76.9	81.1			
	相対 生存率(%)	93.1	89.5	60.5	13.9	81.6	86.1			
卵巣 C56(女)	症例数	461	109	493	200	1,349	1,205	89.3	93.6	94.7
	実測 生存率(%)	80.0	52.3	25.2	11.5	45.9	50.8			
	相対 生存率(%)	83.6	54.7	26.8	12.3	48.2	53.3			
前立腺 C61(男)	症例数	204	4,017	1,046	821	6,216	2,020	32.5	97.9	94.3
	実測 生存率(%)	85.7	82.4	69.2	32.9	73.5	90.8			
	相対 生存率(%)	100.0	100.0	97.7	45.5	98.8	100.0			
腎臓など C64-66	症例数	880	241	219	432	1,833	1,523	83.1	96.7	94.9
	実測 生存率(%)	76.9	57.3	47.4	9.2	53.6	62.6			
	相対 生存率(%)	89.5	67.4	56.3	11.6	62.8	73.2			
膀胱 C67	症例数	700	231	165	141	1,289	1,164	90.3	96.0	95.1
	実測 生存率(%)	57.4	53.2	38.0	7.9	48.3	51.2			
	相対 生存率(%)	73.6	65.0	48.7	9.3	61.1	64.7			
甲状腺 C73	症例数	577	182	258	504	1,648	1,485	90.1	92.3	94.3
	実測 生存率(%)	96.0	92.8	85.7	50.4	78.9	82.9			
	相対 生存率(%)	100.0	100.0	96.2	57.3	85.7	90.0			

(注)病期不明の症例を含む。

再掲1:結腸がん、直腸がんを合わせて大腸がんとした。